PHYTOPATHOLOGY

AN INTERNATIONAL JOURNAL

OFFICIAL ORGAN OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 39
JANUARY–DECEMBER, 1949

EDITORS

HELEN HART
G. C. KENT
JAMES H. JENSEN
H. A. RODENHISER

ASSOCIATE EDITORS

G. M. ARMSTRONG
DONALD CATION
HAROLD T. COOK
F. L. DRAYTON
J. G. HARRAR
BERCH W. HENRY
C. S. HOLTON
BYRON R. HOUSTON
M. F. KERNKAMP
K. W. KREITLOW
J. DUAIN MOORE
J. D. WILSON

BUSINESS MANAGEMENT

M. C. RICHARDS
L. J. ALEXANDER

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

OFFICERS

W. D. VALLEAU, *President*
C. M. TUCKER, *Vice-President*
CURTIS MAY, *Secretary*
M. C. RICHARDS, *Treasurer*

COUNCILORS

W. F. BUCHHOLTZ
S. J. P. CHILTON
L. C. COCHRAN
R. S. KIRBY
A. L. SMITH
S. E. A. MCCALLAN
PAUL R. MILLER
W. H. TISDALE

PUBLISHED FOR THE SOCIETY
BUSINESS PRESS INC.
LANCASTER, PENNSYLVANIA

SCIENCE
LIBRARY

QK
1
.P6

SUSTAINING ASSOCIATES

BUTLER COUNTY MUSHROOM FARM, INC., West Winfield, Pennsylvania.
CAMPBELL SOUP COMPANY, Agricultural Research Department, Riverton, New Jersey.
THE DOW CHEMICAL COMPANY, Midland, Michigan.
E. I. DU PONT DE NEMOURS & COMPANY, Wilmington 98, Delaware.
FERRY–MORSE SEED COMPANY, Detroit, Michigan.
FREEPORT SULPHUR COMPANY, New Orleans 5, Louisiana.
B. F. GOODRICH CHEMICAL COMPANY, Rose Building, Cleveland 15, Ohio.
LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY, Pearl River, N. Y.
O. E. LINCK COMPANY, Route 6 and Valley Road, Clifton, N. J.
NORTHRUP, KING & COMPANY, Minneapolis 13, Minnesota.
MALLINCKRODT CHEMICAL WORKS, Second and Mallinckrodt Street, St. Louis 7, Missouri.
ROHM AND HAAS, Washington Square, Philadelphia 5, Pennsylvania.
SINDAR CORPORATION, 330 West 42nd Street, New York 18, N. Y.
TENNESSEE CORPORATION, 619–27 Grant Building, Atlanta 1, Georgia.
TRIARCH BOTANICAL PRODUCTS, Ripon, Wisconsin.
YODER BROTHERS, INC., Barberton, Ohio.

Science
Walus

CONTENTS OF VOLUME 39, 1949

NO. 1. JANUARY

Abstracts of papers accepted for presentation at the fortieth annual meeting of the Society, Pittsburgh, Pennsylvania, December 6 to 8, 1948 1
Anthony Berg, 1888–1948. C. R. ORTON 28
An isolate of Poria xantha on media containing copper. RAY R. HIRT 31
Transmission of cherry yellows virus complex through seeds. DONALD CATION 37
Field infection experiments with races 15A and 15B of Puccinia graminis tritici. T. JOHNSON 41
The toxicity of polysaccharides and other large molecules to tomato cuttings. ROLAND HODGSON, W. H. PETERSON, and A. J. RIKER 47
Selection and propagation of Albizzia for resistance to Fusarium wilt. E. RICHARD TOOLE and GEORGE H. HEPTING 63
Arsenite spray injury to grape canes through leaf scars. K. E. NELSON, WM. B. HEWITT, and R. A. BREAK 71
Differences in Pythium injury to corn seedlings at high and low soil temperatures. PAUL E. HOPPE 77
Evidence of the non-existence of physiological races in Cronartium ribicola. GLENN GARDNER HAHN 85
Phytopathological Notes 88
The dissemination of Xanthomonas malvacearum by irrigation water. C. J. KING and L. A. BRINKERHOFF
A greenhouse bench moist chamber for large scale inoculations. K. W. KREITLOW

NO. 2. FEBRUARY

A method for producing artificial epidemics of Diplodia ear rot. ARNOLD J. ULLSTRUP 93
A comparison of gross pathogenic effects of Pythium graminicola, Pythium debaryanum, and Helminthosporium sativum on seedlings of crested wheatgrass. W. F. BUCHHOLTZ 102
Transmission of sugar-beet yellow-net virus by the green peach aphid. EDWARD S. SYLVESTER 117
Variability of the cucurbit root-rot fungus, Fusarium (Hypomyces) solani f. cucurbitae. N. PRASAD 133
The occurrence of Puccinia coronata on Rhamnus Frangula in Canada. B. PETURSON 142
Synchytrium found on the roots of strawberry. S. M. ZELLER and LEO CAMPBELL 149
Application of the bacteriophage-lysis technique for the identification of plant pathogenic bacteria. H. H. THORNBERRY, A. C. BRAUN, and R. P. ELROD 152
Chemical soil treatment for black root rot of tobacco in the greenhouse. ROBERT A. STEINBERG and E. E. CLAYTON 155
Sclerotinia trifoliorum, a pathogen of Ladino clover. K. W. KREITLOW 158
Pythium root rot of aroids and Easter lilies. W. B. TISDALE and GEORGE D. RUEHLE 167
Phytopathological Notes 171
The role of thiamin and certain related compounds in pigment production by Corynebacterium michiganense (Erw. Smith) Jensen. ARMIN C. BRAUN
A new method of evaluating fungicides. J. L. FORSBERG
Rhizoctonia neck and bulb rot of iris in the Pacific Northwest. CLARENCE H. SONDERMAN and NEIL ALLEN MACLEAN

NO. 3. MARCH

Spraying experiments to control citrus canker. LIANG HWANG 177
The conversion of strains of Alcaligenes radiobacter and Phytomonas tumefaciens in the "S" phase to the "M" phase of the heterologous species. MADELINE F. COLEMAN and JAMES J. REID 182
Papaya virus diseases with special reference to papaya ringspot. D. D. JENSEN 191
Papaya ringspot virus and its insect vector relationships. D. D. JENSEN 212
Some relations between Phaseolus virus 2 and its associated crystalline inclusions. SAUL RICH 221
The virus of tobacco leaf-curl. D. G. SHARP and F. A. WOLF 225
Virus concentration in plants acquiring tolerance to tobacco streak. ROBERT W. FULTON 231

NO. 4. APRIL

Modifications of the slide-germination method of evaluating fungicides including the use of Venturia inaequalis and Phytophthora infestans. HAROLD J. MILLER 245
Occurrence of the Botrytis disease of gladiolus in the United States in relation to temperature and humidity. W. D. MCCLELLAN, K. F. BAKER, and C. J. GOULD 260
Efficacy of soil fumigants as affected by soil temperature and moisture. W. D. MCCLELLAN, J. R. CHRISTIE, and NORMAN L. HORN 272
Three interspecific hybrids of tobacco. RANDALL R. KINCAID 284
Differentiation of tobacco and tomato ringspot viruses by cross immunization and complement fixation. M. G. TALL, W. C. PRICE, and KENNETH WERTMAN 288
Nature of susceptibility to Helminthosporium victoriae and resistance to Puccinia coronata in Victoria oats. S. C. LITZENBERGER 300
Announcement 319
Report of the 40th Annual Meeting of The American Phytopathological Society 320

NO. 5. MAY

Chlamydospore germination, nuclear cycle, and artificial culture of Urocystis agropyri on red top. M. J. THIRUMALACHAR and JAMES G. DICKSON 333
The pycnidial stage of the walnut branch wilt fungus, Exosporina fawcetti. E. E. WILSON 340
Top necrosis, a virus disease of guar. W. E. COOPER 347
Cultural variation, taxonomy, and pathogenicity of Fusarium species associated with cereal root rots. JOHN W. OSWALD 359
Transmission of the mild streak virus of black raspberry. N. L. HORN and M. W. WOODS 377
The influence of nitrogen source on the development of stem rust of wheat. J. M. DALY 386
A method for the selective staining of viruses in infected plant tissues. J. G. BALD 395
Development of the leaf spot fungus in the olive leaf. H. N. MILLER 403
Phytopathological Notes 411
Parasitism of citrus in Florida by various species of dodder, including Cuscuta Boldinghii Urb., a species newly reported for the United States. L. CARL KNORR
A simple power-operated atomizer for applying small quantities of concentrated spray fluids. A. R. WILSON and A. E. W. BOYD
A method for preserving and mounting pressed leaves. R. S. WILLISON

NO. 6. JUNE

Beet-mosaic virus—green peach aphid relationships. EDWARD S. SYLVESTER 417
Studies on oak wilt, caused by Chalara quercina. ROY A. YOUNG 425
Parasitic action of Streptomyces scabies on roots of seedlings. W. J. HOOKER 442
A late-breaking virus disease of potatoes. J. A. MILBRATH and W. H. ENGLISH 463
A crater spot of celery petioles caused by Rhizoctonia solani. BYRON R. HOUSTON and J. B. KENDRICK 470
Decay of certain northern hardwoods by Fomes igniarius, Poria obliqua, and Polyporus glomeratus. RAY R. HIRT 475
Pit canker of elm. NESTOR E. CAROSELLI and C. M. TUCKER 481
Formation of galls in stems and leaves of sugar cane in response to injections of growth-regulating substances. J. GUISCAFRÉ-ARRILLAGA 489
Report of the 1949 Annual Meeting of the Southern Division, The American Phytopathological Society 494
Report of the Sixth Annual Meeting of the Potomac Division of The American Phytopathological Society 501
Phytopathological Notes 507
Root inoculation, a method insuring uniform rapid symptom development of bacterial ring rot of potato. ARDEN F. SHERF
Relative effects of Septoria lycopersici and of possible gaseous emanations from ripe fruit on defoliation of tomato. GEORGE B. CUMMINS
An epizootic of Phyllocoptruta oleivora (Ashm.) on citrus in Florida. F. E. FISHER, J. T. GRIFFITHS, JR., and W. L. THOMPSON
Some studies on downy mildew of millet. MU-HWA PU and TZAN-MING SZU
Reaction of wheat varieties to stripe rust, leaf rust, and stem rust in Peiping. MU-HWA PU and OU-YANG YAO
Announcement 516

NO. 7. JULY

A new virus disease of Ladino clover. K. W. KREITLOW and W. C. PRICE 517
Laboratory and greenhouse studies of antimycin preparations as protectant fungicides. CURT LEBEN and G. W. KEITT 529
Studies on the mechanism of resistance of cruciferous plants to Peronospora parasitica. T. M. WANG 541
Genetics of Ceratostomella. I. Strains of Ceratostomella fimbriata (Ell. & Hals.) Elliott from sweet potatoes. E. O. OLSON 548
Reactions of three species of dodder to host plants used in virus disease investigations. C. F. LACKEY 562
Incidence of Fusarium infection as affected by root-knot nematodes. W. D. MCCLELLAN and J. R. CHRISTIE 568
A wilt-inducing polysaccharide from Fusarium solani f. eumartii. C. A. THOMAS 572
Control of black rot in washed, uncured sweet potatoes. W. J. MARTIN, J. M. LUTZ, and G. B. RAMSEY 580
Soil treatments with chloropicrin, D-D, and Uramon for control of the root-knot nematode. C. N. CLAYTON and D. E. ELLIS 583
Effects of soil treatments with Uramon and certain fumigants upon plant growth and incidence of root-knot. D. E. ELLIS, C. N. CLAYTON, and R. G. OWENS 590
Phytopathological Notes 598
A witch's broom disease on cucumber and cantaloupe. PAUL G. SMITH
Asteroid spot of peach in North Carolina. C. N. CLAYTON
Leaf distortion in sunflower produced by lanolin. PETER A. ARK
Announcement 603

NO. 8. AUGUST

The effect of particle size and solubility of sulfur in carbon disulfide upon its toxicity to fungi. EDMUND F. FEICHTMEIR 605
A gall of Tahiti lime and other citrus species caused by dodder. L. CARL KNORR 616
Studies on variability of Sclerotinia fructicola (Wint.) Rehm. K. S. THIND and G. W. KEITT 621
Recovery of plants from dodder latent mosaic. C. W. BENNETT 637
Septoria blight resistance in the tomato. RALPH E. LINCOLN and GEORGE B. CUMMINS 647
Trends in the population of pathogenic bacteria within leaf tissues of susceptible and immune plant species. WILLIAM B. ALLINGTON and D. W. CHAMBERLAIN 656
Natural spread of phony disease to apricot and plum. LEE M. HUTCHINS and JOHN L. RUE 661
Phytopathological Notes 668
Comparison of methods for artificially inoculating sugar-cane seedlings with the mosaic virus. E. V. ABBOTT
Some unreported host plants of sugar beet mosaic virus. C. W. BENNETT
The length of tobacco mosaic virus particles from juice and from leaf residue. WILLIAM N. TAKAHASHI and T. E. RAWLINS
Peronospora tabacina Adam in Washington State. CHARLES GARDNER SHAW

NO. 9. SEPTEMBER

Verticillium wilt of avocado. GEORGE A. ZENTMYER 677
Effects of Bacterium tumefaciens on Allium cepa. SOPHIE JAKOWSKA 683
Seed treatment of field legumes. A. J. VLITOS and D. A. PRESTON 706
Dying of live oaks in Texas. A. A. DUNLAP and A. L. HARRISON 715
Rough bark of tung, a virus disease. JOHN R. LARGE 718
The fungicidal activity of substituted pyrazoles and related compounds. GEORGE L. MCNEW and NORMAN K. SUNDHOLM 721
Relative abundance of Phytophthora cinnamomi in the root zones of healthy and littleleaf-diseased shortleaf pine. W. A. CAMPBELL 752
Fusarium wilt of staghorn sumac. E. RICHARD TOOLE 754
Phytopathological Notes 760
Zonate leaf spot of sorghum in Venezuela. ANTONIO CICCARONE
Sporulation of Gibberella zeae on rice straw. S. T. CHEN

NO. 10. OCTOBER

Synonymy in some common species of Cercospora. E. M. JOHNSON and W. D. VALLEAU 763
Evaluation of resistance and susceptibility in garden pea to near-wilt in the greenhouse. D. G. WELLS, W. W. HARE, and J. C. WALKER 771
Effect of soil moisture and mineral nutrient concentration on the development of bean powdery mildew. C. E. YARWOOD 780
Life history and control of the Ascochyta ray blight of chrysanthemum. KENNETH F. BAKER, A. W. DIMOCK, and LILY H. DAVIS 789
Local susceptibility of cotyledons and leaves of cucumber to tobacco mosaic virus. H. H. MCKINNEY and ROBERT W. FULTON 806
Incidence of Lima bean root rot in soils treated with fumigants and insecticides for control of wireworms. JOHN T. MIDDLETON, M. W. STONE, and J. B. KENDRICK, JR. 813
The action of antibacterial substances on the growth of Phytomonas tumefaciens and of crown gall tumor tissue. R. S. DEROPP 822
Resistance to early blight and Septoria leaf spot in the genus Lycopersicon. SETH BARTON LOCKE 829
Wisconsin pea streak. D. J. HAGEDORN and J. C. WALKER 837
Stimulated pycnidium production and symphogenous pycnidia in Phoma lingam. O. H. CALVERT and GLENN S. POUND 848
Report of the Thirty-First Annual Meeting of the Pacific Division of The American Phytopathological Society 858

NO. 11. NOVEMBER

Howard Samuel Fawcett, 1877–1948. L. J. KLOTZ and EUBANKS CARSNER 865
Cabbage seed treatment. GLENN A. HUBER and CHARLES J. GOULD 869
Mode of infection of the sweet-potato wilt Fusarium. T. T. MCCLURE 876
Erwinia atroseptica (van Hall) Jennison and Erwinia carotovora (Jones) Holland. WALTER H. BURKHOLDER and WILSON L. SMITH, JR. 887
Development of anthracnose and secondary rots in stored tomato fruits in relation to field spraying with fungicides. M. B. LINN and R. G. EMGE 898
A study of linkage between factors for resistance to wilt and near-wilt in garden peas. D. G. WELLS, J. C. WALKER, and W. W. HARE 907
Fusarium stem canker and wilt of delphinium. THOMAS LASKARIS 913
Flooding as a means of destroying the sclerotia of Sclerotinia sclerotiorum. W. D. MOORE 920
Damping-off of alfalfa cuttings caused by Rhizoctonia solani. M. F. KERNKAMP, J. W. GIBLER, and L. J. ELLING 928
Relation of environmental factors to bacterial wilt of tomato. M. E. GALLEGLY, JR., and J. C. WALKER 936
Phytopathological Notes 947
Ascochyta pinodella footrot of peas in Western Washington. CHARLES J. GOULD
New hosts for Botrytis cinerea and B. elliptica in the Pacific Northwest. NEIL ALLAN MACLEAN and CHARLES GARDNER SHAW
Rhizoctonia canker of tomato. ROBERT A. CONOVER

NO. 12. DECEMBER

The effect of the sugar concentration on conidial size of some species of Helminthosporium. EDWARD S. ELLIOTT 953
Inheritance of resistance to loose smut, Ustilago nuda, in barley. C. W. SCHALLER 959
Production and discharge of basidiospores by Pellicularia filamentosa (Pat.) Rogers on Hevea rubber. J. B. CARPENTER 980
Progress in the study of dwarf bunt of winter wheat in the Pacific Northwest. C. S. HOLTON, R. H. BAMBERG, and R. W. WOODWARD 986
Effect of fertilization on the recovery of transplanted sugar-beet seedlings affected with Aphanomyces cochlioides Drechs. in the greenhouse. M. M. AFANASIEV and H. E. MORRIS 1001

Factors affecting the survival of Helminthosporium sativum and Fusarium lini in soil. A. A. ANWAR 1005
The pathogenicity of species of Helminthosporium on corn. LEONEL H. ROBLES 1020
Further studies of the bacterial necrosis of the giant cactus. ALICE M. BOYLE 1029
Phytopathological Notes 1053
Corticium crown rot of Gazania. PETER A. ARK and ROBERT S. DICKEY
Botrytis leaf and blossom blight of Saintpaulia. G. E. BECK and J. R. VAUGHN
Breaking of Cattleya orchid flowers by orchid mosaic virus and its transmission by aphids. D. D. JENSEN
A qualitative chemical test for some stone fruit virus diseases. R. C. LINDNER, T. E. WEEKS, and H. C. KIRKPATRICK
Pythium black rot of Cattleya. PETER A. ARK and JOHN T. MIDDLETON
Resistance in alfalfa to yellow leaf blotch. FRED REUEL JONES
A mass-production method for studies of barley smuts in the greenhouse. V. F. TAPKE
Index 1067

INDEX FOR VOLUME 39

AUTHOR AND SUBJECT INDEX
New species in **blackface type**
Junior authorship indicated by pages in "( )"

Prepared by J. M. Daly, Minnesota Agricultural Experiment Station, University Farm, St. Paul, Minnesota.

ABBOTT, E. V., 668
Acer saccharum, 476
Acetic acid, 686
Acetyl salicyclic acid (See Fungicides)
Actinomyces, antibiotic to Helminthosporium and Fusarium, 1009
  antibiotic to Pythium, 5
Adzuka bean (See Bean)
Aerobacter aerogenes, 456, 889
AFANASIEV, M. M., 1001
African violet blight, 1054
Agaricus campestris, mutants of, 24
Agriculture in American tropics, 506
Agrobacterium rubi, 859
Agropyron cristatum, seedling blight, 102
  repens, 145, 333
Agrostis, crown rust on, 142
Albizzia julibrissin, 63
    var. rosea, 63
  kalkora, 63
Alcaligenes radiobacter, 182
Alder, 149
Aleurites fordii, virus of, 718
ALEXANDER, L. J., 1
Alfalfa, 2, 670
  damping off, 920
  mosaic, 525, 861
  resistant to yellow leaf blotch, 1064
  seed treatment, 707
  Streptomyces on, 452
  virus of, 523
  virus N, 861
ALI, MOHAMED, A. K., 1
ALLINGTON, WILLIAM B., 656
ALLISON, J. LEWIS, 1, 501, 505
Allium cepa, 452
  crown gall of, 683
Allyl compounds (See Soil Fumigants)
Alsike clover (See Clover)
Alta fescue, 1, 505
Alternaria, 484
  oleracea, 726
    physiology of, 245
    sporulation of, 20
  solani, 530, 726
    on tomato, 899
    resistance of tomato to, 829
    sporulation of, 20
Amaranthus, 215
  retroflexus, 670
Aminoazo-benzene salt (See Fungicides; Helione)
Ammoniacal copper (See Fungicides)
Ammonium sulfate as herbicide, 862
AMERICAN PHYTOPATHOLOGICAL SOCIETY,
  abstracts of papers presented at annual meeting, 1
  annual report, 320
  Northeastern Division, annual report, 331
  Pacific Division, report of annual meeting, 858
  Potomac Division, report of annual meeting, 501
  Southern Division, report of annual meeting, 494
Amphorophora sensoriata, 378
  sonchi, 213
Anguillulina angusta, 5
Angular leaf spot of cotton, 88
Annulus tabaci var. cyamopsidis, 356
    var. pennsylvanicum, 288
    var. virginiensis, 288
  zonatus, 288
Anthracnose, bean, control with fungicides, 19
  cucumber, 494
  dogwood, 503
  Lima bean, 5
  sorghum, resistance to, 13
  tomato, control of, 26
Antibacterials (See Antibiotics)
Antibiosis, Actinomyces to Pythium, 5
  of organisms to Helminthosporium and Fusarium, 1009
Antibiotics, antimycin, 529
    assay of, 13
  aspergillic acid, 823
  aureomycin, 823
  chloromycetin, 823
  effect on crown gall, 822
  patulin, 823
  penicillin, 1049
  penicillin G, 823
  streptomycin, 823
    effect on plant cells, 859
    walnut blight control, 858
  tolu-p-quinone, 823
Antimycin (See Antibiotics)
Antirrhinum majus, 521
ANWAR, A. A., 1005
Aphanomyces, 947
  cochlioides, on sugar beet, 1001
Aphelenchoides, 499
  oryzae, 5
Aphids (See Insects)
Aphis gossypii, 205, 213
  medicaginis, 213
  rumicus, 128, 213
Apple, 2, 13, 530
  bark necrosis, 502
  fungicides and yield, 18
  powdery mildew, 862
  resistant to scab, 10
  rust, control with fungicides, 743
  scab, 530

control with fungicides, 4, 19, 743
storage scald, 24
Apricot, Exosporina on, 344
phony disease, 503, 661
Arachis hypogaea, 352
Arasan (See Fungicides)
Argentine rape, 861
ARK, PETER A., 600, 858, (859), 1054, 1064
ARMSTRONG, G. M., 1
ARMSTRONG, JOANNE K., (1)
Aroids, Pythium root rot of, 167
Arsenite injury to grape, 71
Ascochyta chrysanthemi, causing chrysanthemum ray blight, 789
pinodella, causing foot rot of pea, 947
Ash, witch's broom, 498
ASHLEY, T. E., (496)
Asparagus, 27
Aspen decay, 475
Aspergillus flavus, 1009
fumigatus, 1009
niger, 1009
Asteroid spot of peach, 599
Aster wilt, 273
ATKINS, J. G., JR., 2, 494
ATKINSON, R. E., 2
Aureogenus clavifolium, 2
magnivena, 13, 14
Avocado, root rot, 26
Verticillium wilt, 26, 677
Avena byzantina, 300, 451
sativa, 145, 451
strigosa, 451
AYCOCK, ROBERT, 2

Bacillus mesentericus, 456
subtilis, 456, 686, 1009
Bacteria, 13, 436, 456, 859, 862, 887
antibiotic to Helminthosporium and Fusarium, 1009
conversion of strains, 182
dissemination by irrigation water, 88
identification with bacteriophage, 152
in healthy potato tissue, 9
on celery, 470
species characteristics, 22
thiamin and pigmentation, 171
Bacterial, blackleg of potato, 887
blight of cotton, 494, 499
citrus canker control, 177
necrosis of cactus, 1029
populations in leaves of host, 656
ring rot of potato, 507
spot of peach, 5
wilt of tomato, 936
Bacteriophage, of Xanthomonas pruni, 153
Bacterium tumefaciens, on Allium cepa, 683
BAIN, DOUGLAS C., 494, (496)
BAINES, R. C., 858
BAKER, K. F., (260), 789
BALD, J. G., 395
Baldulus Maidis, vector for corn stunt, 496
BAMBERG, R. H., (987)
Barbak C., (See Fungicides)
Barbarea vulgaris, 764
Barley, 15, 18, 23, 1005
Helminthosporium on, 1025
powdery mildew, 505, 786
resistance to loose smut, 1065
powdery mildew, 6
smut, 505, 959, 1065
wild, 9
Basic copper sulfate (See Fungicides)
Basic zinc sulfate (See Fungicides; Delmo-Z-lime)
BEACH, W. S., 2
Bean, 19, 25, 27, 221, 289, 350, 538, 670, 807, 920
Adzuka, 353
anthracnose, control with fungicides, 19
bacterial populations of, 656
blight, chemotherapy of, 6
broad, 221, 837
Cercospora on, 767
Lima, 27, 352
root rot and soil fumigation, 813
stem anthracnose, 5
Streptomyces on, 448
mosaic virus (See Viruses)
mung, 27, 352
seed treatment, 707
powdery mildew, 780, 864
resistance to mosaic, 1
rust, 20, 864
Sclerotinia on, 859
snap, 494, 584, 591
urd, 353
virus, (See Viruses)
BECK, G. E., 1056
Beech, 9
decay, 475
Beet (See also Sugar Beet), 205, 727, 889
Cercospora on, 766
mosaic, 417
seed treatment, 12
Streptomyces on, 443
BENNETT, C. W., 637, 669, (860)
Benzene hexachloride (See Fungicides)
Benzoic acid (See Fungicides)
Beta patellaris, 670
vulgaris (See also Beet), 205, 443, 520, 637, 764
Betacoccus arabinosaceus, 48
Betula lutea, 475
Biographies,
BERG, ANTHONY, 28
FAWCETT, HOWARD SAMUEL, 865
Bioquin 1 (See Fungicides)
Birch, 9
decay, 475
Birdsfoot trefoil, 505
Rhizoctonia on, 1
Bismuth subsalicylate (See Fungicides)
BLACK, L. M., 2, (13)
Black blight of cabbage, 869
Black mustard, 670
Black raspberry, mild streak, 377
Black rot of orchid, 1060
of sugar beet, 1001
of sweet potato, 580
Black spruce, 48
Blackberry rust, 860
BLANK, LESTER M., 494, (499)
Bluegrass (See Grasses)

Blue mold of tobacco, 284, 675
BONCHEREAU, PAUL, 2
Borax (See Fungicides)
Bordeaux (See Fungicides)
BORLAUG, N. E., (23)
Boron, effect on peach culture, 860
Botrytis allii, 17
  byssoidea, 17
  cinerea, 949
    on African violet, 1054
    on grape, 861
  elliptica, 949
  gladiolorum, on gladiolus, 261
Botryosphaeria ribis, 502
  on Rhus, 3
Boxwood, 24
  nematodes on, 505
BOYD, A. E. W., (412)
BOYLE, ALICE M., 1029
BOYLE, J. S., 3
BRAGONIER, WENDELL H., 3
Brassica adpressa, 639
  chinensis, 205, 212, 541
  napa, 861
  nigra, 670
  oleracea, 541
    var. capitata, 764
BRAUN, A. C., (152), 172
BRAUN, ALVIN J., 3
BREAK, R. A., (71)
Breeding (See Resistance)
BRENER, W. H., (20)
BRIERLEY, PHILIP, 501
BRINKERHOFF, L. A., (88), 495
Broad Bean (See Bean)
Brome (See Grasses)
Browallia speciosa, 670
BROWN, A. M., 3
Brown rot of lemon, 860
Bryophyllum calycinum, 205
BUCHHOLTZ, W. F., 102
Bunt (See Smut)
BURKHOLDER, C. L., (22)
BURKHOLDER, WALTER H., 887
Buxus sempervirens angustifolia, 505
  handsworthii, 505

Cabbage, 27, 541, 889
  black blight, control by fungicides, 869
  Cercospora on, 766
  Fusarium on, 863
  ringspot, 869
Cactobrosis fernaldialis, vector for bacterial necrosis of cactus, 1032
Cactus, bacterial necrosis, 1029
Calamagrostis arundinacea, 145
  canadensis, 145
  lanceolata, 145
CALAVAN, E. C., 858
Calcium cyanamide (See Soil Fumigants)
Calla, 889
Callistephus chinensis, 520
Calo-Clor (See Fungicides)
Calomel (See Fungicides)
CALVERT, O. H., 495, 848
Camellia japonica, root rot, 498
Campanula, 764
CAMPBELL, LEO, (149)
CAMPBELL, W. A., 752
Canker of Chinese elm, 4
  of citrus, 177
Cantaloupe, 27, 637
  control of nematodes on, 588
  Streptomyces on, 451
  witch's-broom, 598
Capsicum, 11
  frutescens, 205, 353, 521
Carbon disulfide (See Soil Fumigants)
Carica papaya, viruses, 191
Carnegiea gigantea, bacterial necrosis of, 1029
CAROSELLI, NESTOR E., (6), 481
CARPENTER, J. B., 981
Carrot, 822, 889
  Streptomyces on, 452
CARSNER, EUBANKS, (865)
CARTER, J. C., 4
Castanea sativa, 340
CATION, DONALD, 4, 37
Cattleya Fabia, 1060
  Forbesii, 1060
  mossiae, 1057, 1060
  trianae, 1057, 1060
Cauliflower, 890
Celery, 637, 889, 920
  blight, control with fungicides, 19
  Corticium vagum on, 500
  crater spot, 470
  leaf spots, control with fungicides, 10
Celosia argentea var. cristata, 520
Cephalothecium roseum, 1010
Ceratostomella fimbriata, genetics of, 548
  on sweet potato, 17, 580
    control, 861
  ulmi, physiology of, 6
Cercis canadensis, canker of, 502
Cercospora arachidicola, 15
  blight of celery, control with fungicides, 19
  capsici, control with fungicides, 496
  nicotianae, 763
  on celery, 10
  personata, 15
  spp., syononymy in, 763
Cereal, root rot, 359
Ceresan (See Fungicides)
Ceresan M. (See Fungicides)
Chalara quercina, on oak, 425
CHAMBERLAIN, D. W., (656)
CHANDLER, W. A., 4
CHAPMAN, R. A., 4, (10)
Chemotherapy, 736
  of bean blight, 6
  of Dutch elm disease, 6
  root knot control, 505
CHEN, S. T., 761
Chenopodium album, 764
Cherry, 1059
  leaf spot, control with fungicides, 19
  sour, indexing of viruses of, 15
    virus of, 3
  virus transmission through seed, 4, 37
  viruses, 19
Chestnut, 340

CHILTON, S. J. P., (5), (25)
Chinese elm, 4
Chinese evergreen, Pythium on, 167
rape, 541
CHITWOOD, B. G., 502
Chives, 215
Chloral hydrate, 686
Chloramin T., (See Soil Fumigants)
Chloropicrin (See Soil Fumigants)
Chlorox (See Fungicides)
Chokecherry, viruses, 19
CHRISTENSEN, J. J., (21)
CHRISTIE, J. R., (272), 495, (506), (568)
Chrysanthemum leucanthemum, 794
morifolium, Ascochyta ray blight of, 789
parthenium, 764
stunt, transmission of, 501
CICCARONE, ANTONIO, 760
Circis chinensis, canker of, 502
Citrullus vulgaris, viruses, 811
Citrus aurantifolia, 411
dodder galls on, 616
aurantium, 178
brown rot and gummosis, 26
canker, control, 177
grandis, 178
limon, 411
limonia, 340
nobilis, 178
paradisi, 411, 617
parasitized by dodder, 411
quick decline, 863
rust mite on, 510
sinensis, 178, 411, 617
Cladosporium cucumerinum, resistance of cucumber to, 24
effusum, on pecan, 496
CLARKE, O. F., (858)
CLAYTON, C. N., 583, (590), 599
CLAYTON, E. E., 4, (155)
Clover, 27
Alsike, Streptomyces on, 452
club-leaf virus (See Viruses)
crimson, 3, 670
Ladino, Rhizoctonia on, 1
Sclerotinia on, 11, 158
yellow patch, 517
pea streak virus on, 840
red, 149, 160, 670
powdery mildew, 786
Sclerotinia on, 11
Streptomyces on, 452
sweet, 670
Streptomyces on, 452
weevil on, 501
white, 670
mosaic, 519
yellow hop, seed treatment, 707
CLULO, GENEVIEVE, 502
Coffeeweed, 2
COLEMAN, L. C., 859
COLEMAN, MADELINE F., 182
Colletotrichum, 497
circinans, 13, 530
graminicolum, 15
on sorghum, 13
lindemuthianum, sporulation in culture, 14
phomoides, 898
truncatum, on Lima bean, 5
Commelina diffusa, 205
mosaic, 206
Cosmos sulphureus, 27
CONOVER, ROBERT A., 950
COOPER, W. E., 5, 347
Cop-o-Zink (See Fungicides)
Copper compounds (See Fungicides)
Copper-8-hydroxyquinolinolate (See Fungicides; Bioquin 1)
Coreopsis, 764
Corn, 27, 727
control of Pythium injury, 77
Diplodia zeae on, 93
Helminthosporium on, 1020
isolation of fungi from seed, 25
nematode root rot, 8
stalk and ear rots, 21
Streptomyces on, 443
stunt, transmission of, 496
Cornus florida, anthracnose of, 503
CORP, V. H., 502
Corrosive sublimate (See Fungicides)
Corticium solani, on Gazania Rigens, 1053
vagum, on celery, 500
Corynebacterium michiganense, pigmentation of, 171
sepedonicum, inoculation into roots, 507
Cotton, 2, 25, 27, 88, 495
bacterial blight, 499
fiber development, 499
Fusarial wilt, control by fumigation, 499
nematode, control by fumigation, 499
root rot, 8
resistance to bacterial blight, 494
root rot, 498
Verticillium wilt, 499
Cowpea, 13, 232, 350, 538
Fusarial wilt, 1
seed treatment, 707
COX, ROBERT, S., 5
Crab grass (See Grasses)
CRALLEY, E. M., 5
Crater spot of celery, 470
Crested wheatgrass (See Grasses)
Crimson clover (See Clover)
Cronartium ribicola, 85
Crotalaria, 2, 27
incana, 205
intermedia, 353
mosaic, 206
mucronata, 206
Crown gall, 182
effect of antibiotics on, 822
on onion, 683
Crown rust, (See Rust)
Cucumber, 205, 538, 562, 670, 889
anthracnose, control by fungicide 494,
damping off, control with fungicides, 15
downy mildew, control by fungicides, 494
powdery mildew, 786
resistant to scab, 25
Streptomyces on, 443
virus of, 3
witch's-broom, 598
Cucumis melo, 451, 598, 637

sativus, 205, 443, 520, 538, 598, 670, 764, 842
Cucurbit, 25
root rot, 133
viruses of, 811
Cucurbita moschata, 451
pepo, 134, 451, 764
viruses on, 311
CUMMINS, GEORGE B., 509, (647)
Curculio, 5
Currant, 85
Cuscuta (See also Dodder)
americana, 411, 562
on citrus, 618
Boldinghii, on citrus, 411
californica, 562, 638, 860
campestris, 411, 524, 638
subinclusa, 377, 562, 860
Cyamopsis psoraloides, 347
tetragonalobus, 232
Cyanamide (See Soil Fumigants)
Cyanamide aero-defoliant (See Herbicides)
Cycloconium oleaginum, causing olive leaf spot, 403
Cytospora, on poplar, 12

2,4-D (See Herbicides)
Dactylis glomerata, 145
DAINES, ROBERT H., 5
DALY, J. M., 386
DANA, B. F., 859
DARLING, H. M., (22)
Date, 862
Datura meteloides, 23, 353, 670
stramonium, 349, 670, 807, 842
Daucus carota, 452
DAVIDSON, R. S., 6
DAVIDSON, ROSS W., 502, 506
DAVIS, LILY H., (789)
Day length, in relation to tomato bacterial wilt, 941
D-D (See Soil Fumigants)
DDT (See Insecticides)
Delmo-Z-lime (See Fungicides)
Delphinium, 890
cardinale, 914
consolida, 914
Fusarium canker and wilt, 913
Deltocephalus flavicosta, 378
DE ROPP, R. S., 822
DE WOLFE, T. A., (858), (860)
Diaminodiphenylamine (See Soil Fumigants)
Di-(B-hydroxyethyl)-aniline (See Soil Fumigants)
Dichloropropane (See Soil Fumigants)
Dichloropropene (See Soil Fumigants)
2,3-Dichloro-1,4-naphthoquinone (See Fungicides; Phygon)
DICKEY, ROBERT S., (858), 859, (1054)
DICKSON, JAMES G., (333)
Dicyandiamide (See Soil Fumigants)
Dieffenbachia picta, Pythium on, 168
Diethylstilbestrol, 686
Digitalis, 11
DIMOCK, A. W., (789)
DIMOND, A. E., 6, (24)
Dinitrocaprylphenyl crotonate (See Fungicides)
Dinitro-diphenylamine (See Soil Fumigants)
Dinitro ortho cresol (See Fungicides)
Dinitro-o-sec. amyl phenol (See Herbicides)
butyl phenol (See Herbicides)
Diphenylthiourea (See Soil Fumigants)
Dipicrylamine (See Soil Fumigants)
Diplodia theobromae, 502
zeae, 93
Disodium ethylene bisdithiocarbamate (See Fungicides; Dithane)
Dithane (See Fungicides)
Dithiocarbamates (See Fungicides)
Dodder, 22, 377, 525
causing galls on citrus, 616
curly-top virus in, 860
latent mosaic, 637
parasitic on citrus, 411
virus transmission, 562
Dogwood, anthracnose, 503
DOOLITTLE, S. P., 503
Douglas fir, 149
Dow 9B (See Fungicides)
Dowax 222, control of tomato end rot, 21
Dowfume N (See Soil Fumigants)
Dowicides (See Fungicides)
Downy mildew, of cucumber, control of, 494
of crucifers, 541
of millet, 512
of spinach, 863
of tobacco, 284
DRECHSLER, CHARLES, 503
DUFRENOY, JEAN, 859, (862)
DUNEGAN, JOHN C., (7), (503)
DUNLAP, A. A., 495, 715

Early blight of tomato, 829
Eggplant, Streptomyces on, 452
Elgetol (See Fungicides)
ELLIOTT, EDWARD S., 953
ELLING, L. J., (928)
ELLIS, D. E., (583), 590
Elm, 13
Chinese, canker of, 4
decay, 475
pit canker, 481
ELROD, R. P., (152)
Elymus canadensis, 333
Elsinöe corni, on dogwood, 503
EMGE, R. G., (898)
ENGLISH, W. H., (463)
Epidendrum O'Brienianum, 1063
EPPS, JAMES M., 495
ERDMAN, S. W., 506
Erechtites valerianaefolia, 215
Erianthus, Colletotrichum on, 497
Erwinia aroideae, 890
atroseptica, 22, 887
carnegieana, on cactus, 1030
carotovora, 22, 470, 887, 1044
oleraceae, 890
phytophthora, 890
solanisaprus, 890
Eryngium, 11

Erysiphe cichoracearum, 786
graminis hordei, 505, 607
resistance to in barley, 6
on barley, 786
polygoni, 607, 864
on bean, 780
Erythronium grandiflorum, Botrytis on, 949
Escherichia coli, 456, 686
Ethyl isothiocyanate (See Soil Fumigants)
Ethyl mercury chloride (See Fungicides; Ceresan)
Ethyl mercury phosphate (See Fungicides; New Improved Ceresan)
Ethyl mercury p-toluene sulfonanilide (See Fungicides; Ceresan M)
Ethylene compounds (See Soil Fumigants)
Exosporina fawcetti, on walnut, 340

Fagus grandifolia, 475
False mallow, 205
FAVRET, EWALD A., 6
FEICHTMEIR, EDMUND F., 605
FELDMAN, A. W., 6
FELIX, E. L., 7
Fermate (See Fungicides)
Ferric dimethyl dithiocarbamate (See Fungicides; Fermate)
Fertilizers (See Nutrition)
Fescue (See Grasses)
Festuca elatior, 91
var. arundinacea, 764
Fig, root knot, control, 498
Fireweed, 215
FISCHER, GEORGE W., (860)
FISHER, F. E., 510
Flax, wilt, 1005
Fomes igniarius, 475
FORBES, IAN, JR., (1), (505)
Formilin (See Soil Fumigants)
FORSBERG, J. L., 172
Fortunella margarita, 411
FOSTER, H. H., 496
Four o'clock, 205
FOWLER, MARVIN E., (502)
Fragaria vesca var. californica, viruses of, 863
Fraxinus berlandieri, witch's broom of, 498
Frogeye of tobacco, 763
FULTON, ROBERT W., 231, (806)
Fungicides (See also Seed Treatment)
acetyl salicylic acid, 6
adjuvants, 14, 16, 537
ammoniacal copper, control of walnut blight, 858
antimycin, 529
Arasan (tetramethyl thiuram disulfide)
beet seed treatment, 13
cabbage seed treatment, 870
control of corn seedling blight, 77
legume seed treatment, 707
onion smut control, 16
peanut seed treatment, 496, 500
snapbean seed treatment, 494
soil treatment with, 15
Arasan SF, rice seed treatment, 2
snapbean seed treatment, 494
assay of, 172, 245
Barbak-C (phenyl mercuric cyanamide)
cabbage seed treatment, 870
basic copper sulphate, control of walnut blight, 858
benzoic acid, 6
Bioquin 1 (copper-8-hydroxyquinolinolate), 899
peach brown rot control, 18
Bioquin 700 (8-hydroxyquinolin benzoate), 1064
bismuth subsalicylate, control of bean leaf spot, 859
borax, control of sweet potato black rot, 580
Bordeaux, 538, 899
citrus canker control, 177
control of mushroom disease, 22
control of pecan scab, 496
control of pepper blight, 496
control of walnut blight, 858
effect on grape, 3
Calo-Clor (mercuric and mercurous chloride)
control of alfalfa damping off, 933
calomel, cabbage seed treatment, 870
Ceresan (ethyl mercury chloride)
narcissus bulb treatment, 8
peanut seed treatment, 496, 500
snapbean seed treatment, 494
Ceresan M (ethyl mercury p-toluene sulfonanilide)
beet seed treatment, 12
legume seed treatment, 707
narcissus bulb treatment, 8
peanut seed treatment, 500
snapbean seed treatment, 494
Clorox (sodium hypochlorite)
pea seed treatment, 776
Cop-O-Zink, raspberry rust control, 863
copper, 19
control of bean leaf spot, 859
control of orchid black rot, 1064
control of raspberry diseases, 496
growth of Poria xantha on, 31
copper A, control of mushroom disease, 22
control of pecan scab, 496
control of pepper blight, 496
control of walnut blight, 858
copper carbonate, control of walnut blight, 858
rice seed treatment, 2
copper hydroxide, control of walnut blight, 858
copper naphthenate, 7
copper oxychloride, control of walnut blight, 858
copper-8-quinolinolate, 16
control of peach bacterial spot, 5
copper sulfate, 862
control of lemon brown rot, 860
corrosive sublimate, cabbage seed treatment, 870
Delmo-Z-lime (basic zinc sulfate), control of peach bacterial spot, 5
dinitrocaprylphenyl crotonate, 19
dinitro ortho cresol, 19

Dithane (disodium ethylene bisdithiocarbamate), 27
control of anthracnose of lima bean, 5
control of mushroom disease, 22
control of peach brown rot, 18
Dithane D-14, 899
control of peach brown rot, 9
control of walnut blight, 858
Dithane Z-78, 5, 899
control of alfalfa damping off, 932
control of cucumber diseases, 494
control of onion smut, 16
dithiocarbamates, chemical determination of, 13
control of Verticillium on mushrooms, 22
Dow 9B (zinc trichlorophenate), 172
legume seed treatment, 707
peanut seed treatment, 496, 500
rice seed treatment, 2
Dowicide A (sodium o-phenyl phenate), control of sweet potato black rot, 580
Dowicide B(2,4,5-trichloro phenol), narcissus bulb treatment, 8
Elgetol, raspberry rust control, 863
ethyl mercury phosphate, beet seed treatment, 12
Fermate (ferric dimethyl dithiocarbamate), 5, 19, 899
cabbage seed treatment, 871
control of alfalfa damping off, 933
control of cucumber disease, 494
control of Lima bean anthracnose, 5
control of mushroom disease, 22
control of raspberry disease, 495, 863
control of walnut blight, 858
effect on apple yield, 18
effect on grape, 3
glyoxalidine, apple scab control, 4
glyoxylidine, 5
Helione (aminoazo-benzene salt), control of walnut blight, 858
2-heptadecyl glioxalidine, 19
Hyamine 1622, peach brown rot control, 9
hypochlorite, control of lemon brown rot 860
Isothan Q15 (lauryl isoquinolinium bromide), control of peach brown rot, 9
control of walnut blight, 858
Karbam white (zinc dimethyl dithiocarbamate), control of pecan scab, 496
Leafox 200A, control of alfalfa damping off, 933
lime sulfur, control of peach brown rot, 9, 18
control of raspberry disease, 496, 863
malachite green, 862
manganese ethylene bisdithiocarbamate, 5
mercuric chloride, 172
tomato seed treatment, 859
methyl salicylate, 6
Mycoban (sodium propionate), control of peach brown rot, 9
New Improved Ceresan (ethyl mercury phosphate), 172
narcissus bulb treatment, 8
seed treatment of flax and cereals, 861
tomato seed treatment, 859
4-nitrosopyrazoles, 749
nitrazoles, 721
particle size and toxicity, 605
Parzate (zinc ethylene bisdithiocarbamate), 899
control of bean leaf spot, 859
control of Chrysanthemum ray blight, 803
control of cucumber diseases, 494
control of mushroom disease, 22
control of peach brown rot, 18
control of pecan scab, 496
phenyl salicylates, 6
pentachlorophenol, 862
Phygon (2,3-dichloro-1,4-naphthoquinone), 5, 727
beet seed treatment, 13
control of alfalfa damping off, 932
control of bean leaf spot, 859
control of chrysanthemum ray blight, 803
control of peach brown rot, 22
legume seed treatment, 707
peanut seed treatment, 500
Phygon XL, beet seed treatment, 13
control of alfalfa damping off, 933
control of Lima bean anthracnose, 5
control of raspberry rust, 863
control of walnut blight, 858
control of wheat snow mold, 860
Procop, 21
Puratized, control of walnut blight, 858
Puratized 111–5, 21
Puratized 177 (para amino phenyl cadmium dilactate), snapbean seed treatment, 494
Puratized Agricultural Spray (phenyl mercury triethanol ammonium lactate), 172
control of chrysanthemum ray blight, 803
Puraturf, control of wheat snow mold, 860
Puraturf 177, 172
8-quinolinol sulfate, 6
red copper oxide, control of walnut blight, 858
rice seed treatment, 2
salicylic acid, 6
Semesan (hydroxymercurichlorophenol), cabbage seed treatment, 870
snapbean seed treatment, 494
Semesan Jr., control of alfalfa damping off, 932
silver nitrate, control of bean leaf spot, 859
sodium arsenite, injury to grape, 71
Spergon (tetrachloro parabenzoquinone), 727, 1022
cabbage seed treatment, 871
control of wheat snow mold, 860
legume seed treatment, 707
peanut seed treatment, 496, 500
snapbean seed treatment, 494
control of alfalfa damping off, 933
sulfur, 19

control of bean leaf spot, 859
effect of temperature on toxicity, 864
particle size and toxicity, 605
Sulforon, peach brown rot control, 18
Sulfur-6, 5
Tenn. copper 26, control of peach bacterial spot, 5
Tersan (tetramethyl thiuram disulfide), 933
cabbage seed treatment, 870
tribasic copper sulfate, 899, 933
control of cucumber diseases, 494
control of pepper blight, 496
rice seed treatment, 2
Vitamin K_5, 862
yellow cuprocide, 899
control of walnut blight, 858
rice seed treatment, 2
Zerlate (zinc dimethyl dithiocarbamate), 5, 14, 899
control of alfalfa damping off, 933
control of bean leaf spot, 859
control of cucumber diseases, 494
control of Lima bean anthracnose, 5
control of mushroom disease, 22
control of peach brown rot, 18
control of pecan scab, 496
control of tomato anthracnose, 26
zinc dimethyldithiocarbamate, 14
zinc ethylenebisdithiocarbamate, 10
zinc oxide, cabbage seed treatment, 871
zinc sulfate, 899
control of peach bacterial spot, 5
Fusarium, 103, 484, 506, 947
avenaceum, 361
bulbigenum var. batatas, 878
culmorum, 361
dianthi, 21
equiseti, 361
flocciferum, 368
graminearum, 361
nivale, on wheat, 860
on cereals, 359
on cotton, 499
on cowpea, 1
on tomato, 2
on soybean, 1
oxysporum, 815, 863
f. batatas, mode of infection on sweet potato, 876
f. callistephi, 273
f. **delphinii** n.f., 916
f. gladioli, 8, 172, 568
f. lycopersici, 21, 568
resistance of tomato to, 1
f. narcissi, control by fungicides, 8
f. perniciosum, 758
resistance of Albizzia to, 63
f. pisi, resistance to in pea, 771, 907
f. rhois, on sumac, 754
relation of nematodes to, 568
reticulatum, 368
roseum, 815
sambucinum, 361
scirpi, 361
solani, 470, 859
f. cucurbitae, 569
variability in, 133
f. eumartii, 24
toxins of, 572
f. phaseoli, 864
control with soil fumigants, 813
sublunatum var. elongatum, 368
lini, survival in soil, 1005
Fuzzy rattle pod, 205

GAINES, J. G., (4)
GALLEGLY, M. E., 7, 936
Gamtox (See Insecticides)
Garden pea, 2
Gazania Rigens, crown rot of, 1053
Genetics of microorganisms, Agaricus campestris, 24
Botrytis allii, 17
Ceratostomella fimbriata, 17, 548
Glomerella, 25
Fusarium solani f. cucurbitae, 133
Fusarium spp., 359
Helminthosporium teres, 18
Helminthosporium turcicum, 504
Phoma lingam, 495, 848
Physalospora obtusa, 2
Puccinia triticina, 3
Sclerotinia fructicola, 621
Urocystis agropyri, 333
Ustilago Lorentziana, 9
Gerbera Jamesonii, Botrytis on, 949
Gibberella zeae, 363
sporulation on rice straw, 761
GIBLER, J. W., (928)
GIDDINGS, N. J., 860
Gladiolus, Botrytis on, 260
Fusarium and nematode infections, 568
Fusarium rot of, 8
red leaf spot, 16
Globe amaranth, 353
Gloeocercospora sorghi, causing zonate leaf spot of sorghum, 760
Glomerella cingulata, 529
genetics of, 25
Glycine max (See also Soybean), 443, 520, 656
Glyoxylidine (See Fungicides)
GOLDSWORTHY, M. C., 7
Gomphrena globosa, 25, 353
Gossypium (See also Cotton)
barbadense, angular leaf spot of, 88
hirsutum, 88
GOULD, C. J., 8, (260), (869), 947
Gourds, viruses on, 811
GRAHAM, T. W., (4), 8
Grape, 862
Botrytis cinerea on, 861
effect of fungicides on, 3
injury by arsenite, 71
powdery mildew, 786
root knot control, 498
Grapefruit, 411, 858
dodder on, 617
Grasses, bluegrass, Selenophoma on, 23
brome, 23, 505
Rhizoctonia on, 1
crab, 584
nematode root rot, 8
crested wheatgrass, seedling blight of, 102

fescue, 505
Rhizoctonia on, 1
Johnson, 27
Colletotrichum on, 497
smut of, 504
red top, smut, 333
Sudan, 27
Colletotrichum on, 497
Helminthosporium on, 1025
turf, Rhizoctonia on, 1
GRIFFITHS, J. T., JR., (510)
Growth substances, and gall formation in sugar cane, 489
Guar, 27, 232
top necrosis, 347
GUISCAFRÉ-ARRILLAGA, J., 8, 489
Gymnosporangium juniperi-virginianae, 743

HAGEDORN, D. J., 9, 837
HAHN, GLENN GARDNER, 85
Hairy vetch, 2, 353
HANNA, W. F., 9
HARE, W. W., 496, (771), (907)
HARRAR, J. G., (23)
HARRISON, A. L., (495), (715)
Helianthus annus, 353, 822
Helione (See Fungicides)
Helminthosporium, avenae, 15
blight of oats, resistance to, 20
carbonum, 6, 1020
maydis, 6
oryzae, 953
sativum, 103, 953, 1020
survival in soil, 1005
sigmoideum var. irregulare, 953
teres, 18
turcicum, 6, 953, 1020
variability in, 504
victoriae, 17, 953
toxins of, 300
Hendersonula toruloidea, 344
2-heptadecyl glioxalidine (See Fungicides)
HEPTING, GEORGE H., (63)
Herbicides, ammonium sulfate, 862
copper sulfate, 862
cyanamid aero-defoliant, 862
2,4-D, 489
effect on fungi, 8
dinitro-o-sec. amyl phenol, 862
dinitro-o-sec. butyl phenol, 862
kerosene, 862
late blight control, 504
sodium arsenite, 862
virus disease control, 504
Heterodera marioni, 273, 284, 495, 861
control with soil fumigants, 813
relation to Fusarial infections, 568
HEUBERGER, J. W., 9, (18)
Hevea brasiliensis, 17
leaf spot, 980
HEWITT, WM. B., (71)
Hexaethyltetraphosphate (See Insecticides)
Hexamethylenetetramine, 156
Hibiscus ringspot, 205
HIGDON, R. J., (496)
HIGGINS, B. B., 496
HILBORN, M. T., 9
HILDEBRAND, E. M., 496, 497
Hirsutella, attacking sweetclover weevil, 501
HIRT, RAY R., 31, 475
HODGSON, ROLAND, 47
Holcus lanatus, 145
HOLLIS, JOHN P., 9
HOLMES, FRANCIS O., 10
Hololepta yucateca, 1038
HOLTON, C. S., 860, 986
Honeysuckle virus, 502
Hoplolaimus coronatus, on oak, 506
HOOKER, W. J., 442
HOPPE, PAUL E., 77
Hordeum, bulbosum, 451
distichon, 451
jubatum, 9
nodosum, 451
vulgare (See also Barley), 451
HORN, N. L., (272), 377
Horseradish, mosaic, 18
HORSFALL, JAMES G., 10, (19)
Hot water treatment for, cabbage seed, 871
lemon brown rot, 860
orange disease, 858
HOUGH, L. F., 10
HOUSTON, BYRON R., 470
HOWARD, F. L., (6), (21)
HUBER, GLENN A., 869
HUGHES, M. B., (496)
Humidity, effect on Botrytis disease of gladiolus, 260
HURST, E. M., (9)
HUTCHINS, L. M., (19), 503, 661
HWANG, LIANG, 177
Hyamine 1622 (See Fungicides)
Hydrazine sulfate (See Soil Fumigants)
Hydroxylamine sulfate (See Soil Fumigants)
Hydroxymercurichlorophenol (See Fungicides; Semesan)
8-hydroxyquinolin benzoate (See Fungicides; Bioquin 700)
Hypochlorite (See Fungicides)
Hypomyces solani f. cucurbitae, variability of, 133
HYRE, R. A., 10

Illinoia pisi, 843
vector for pea streak virus, 837
Impatiens holstii, 520
Indole-acetic acid, 489, 686
Insecticides, benzene hexachloride, 537
control of wireworms, 813
DDT, 537, 1049
control of wireworms, 813
Gamtox, 5
hexaethyltetraphosphate, 537
lead arsenate 4, 177, 537
lime, 4
nicotine, 4
sulfate, 537
oils causing storage scab of apple, 24
Insects, aphids, 117, 196, 843, 844, 862, 1060
in relation to corn stalk and ear rot, 21
rust mite on citrus, 510
sweet clover weevil, 501
Insects as vectors, Agallia constricta, 14

Agalliopsis novella, 2
aphids, 378, 417
chrysanthemum stunt, 501
orchid mosaic, 1056
papaya ringspot, 196, 212
pea streak virus, 837, 843
potato leaf roll, 862
sugar beet mosaic, 670
sugar beet yellow-net virus, 117
western wheat mosaic, 2
beetle, 1038
Cactobrosis fernaldialis, 1032
leafhoppers, 22, 378
corn stunt virus, 496
spittle bugs, 378
Volucella, 1038
Ipomoea batatas, 17
wilt of, 876
hederacea, 764
Iris, 889
tingitana, bulb and neck rot, 174
Ironwood, decay, 475
Iscobrome (See Soil Fumigants)
Isothan Q15 (See Fungicides)

JACKSON, L. W. R., 497
JAKOWSKA, SOPHIE, 683
Jasmium nudiflora, fungus galls on, 497
JEHLE, R. A., 503
JENKINS, ANNA E., (503)
JENKINS, MERLE T., (504)
JENSEN, D. D., 191, 212, 1059
Jimson weed, 349, 670
JOHNSON, A. G., (506)
JOHNSON, E. M., 763
JOHNSON, FOLKE, 860
JOHNSON grass (See Grasses)
JOHNSON, JAMES, 11
JOHNSON, T., (3), 41
JONES, FRED REUEL, 1065
Juglans, hindsii, 340
regia, 340

Karbam white (See Fungicides)
KEITT, G. W., (3), (15), (529), (621)
KENDRICK, J. B., (470)
KENDRICK, J. B., JR., (813), (864)
KEPHART, JOYCE E., 503
KERNKAMP, M. F., 928
Kerosene as herbicide, 862
KINCAID, RANDALL R., 11, 284
KING, C. J., 88
KIRKPATRICK, H. C., (1060)
KLOTZ, L. J., (26), (858), 860, 865
KNORR, L. CARL, 411, 616
KOUBA, T. F., (20)
KREITLOW, K. W., 11, 90, 158, 517
Kroepoek, 225
Kumquat, 411
KUNTZ, J. E., 12

LACKEY, C. F., 562, 860
Lactuca sativa, 205, 452, 520, 670
LADEBURG, R. C., 12, (12)
Ladino clover (See Clover)
Lamium amplexicaule, 765
LANGFORD, M. H., 506
Lanolin, causing galls on sunflower, 600
LARGE, JOHN R., 718
LARSON, R. H., 12, (12)
Larvacide (See Soil Fumigants)
LASKARIS, THOMAS, 913
Late blight, 14, 506
control of sprout inhibitors, 504
forecasting of, 10
control with fungicides, 745
Lathyrus, hirsutus, 842
latifolius, 765
odoratus, 520, 842
Lauryl isoquinolinium bromide (See Fungicides; Isothan Q15)
LEACH, L. D., 12
Lead arsenate (See Insecticides)
Leafox 200A (See Fungicides)
LEBEAU, F. J., 13, 497
LEBEN, CURT, 13, 529
LEFEBVRE, C. S., 506
Lemon, 411
brown rot control, 860
tree collapse, 858
Leptosphaeria avenaria, 15
Lespedeza, 27
Lettuce, 205, 670, 889, 920
Streptomyces on, 452
Leuconostoc mesenteroides, 48
LEUKEL, R. W., 504
Light, effect on downy mildew of crucifers, 544
in relation to, Pellicularia basidiospore production, 980
tomato bacterial wilt, 943
Lilies, Pythium root rot of, 167
Lima bean (See Bean)
Lime, 411
galls of, 616
Lime sulfur (See Fungicides)
Limonius californicus, 861
control with soil fumigants, 813
LINCOLN, RALPH E., 647
Linden, cankers of, 502
LINDNER, R. C., 1060
LINN, M. B., (4), 898
LITTAU, VIRGINIA C., 13
Little leaf disease of pine, 752
LITZENBERGER, S. C., 300
Live-oak disease, 495, 715
LOCKE, SETH BARTON, 829
LOEGERING, W. Q., (23)
Lolium, multiflorum, 145
perenne, 145
LOMBARD, FRANCES, (506)
Lonicera, brachypoda var. foliis aureo-reticulatis, virus of, 502
tatarica, 13
Lotus, 163
corniculatus, 520
Lupinus, 520
angustifolius, 842
polyphyllus, 765
LUTZ, J. M., (580)
Lycopersicon (See also Tomato), 11
esculentum, 205, 353, 452, 503, 521, 670, 842, 936
glandulosum, 649
hirsutum, 503, 649
peruvianum, 649

pimpinellifolium, 1, 649
resistance to leaf diseases, 830

MACHACEK, J. E., 861
MACHMER, JOHN H., 498
MACK, G. L., 13, 14
MACLEAN, NEIL ALLEN, (174), 949
Macrophomina phaseoli, resistance of bean to, 27
Macrosiphum solanifolii, 128, 213
Macrosteles divisus, 22
Malachite green (See also Fungicides) suppression of virus symptoms, 24
Malva rotundifolia, 765
Malus floribunda, resistant to scab, 10
Malvastrum coromandelianum, 205
Manganese ethylene bisdithiocarbamate (See Fungicides)
Maple, sugar, decay, 476
MARAMOROSCH, KARL, 14
Marmor medicaginis var. Ladino, 517
upsilon, 20
MARTH, P. C., 504
MARTIN, JOHN H., (504)
MARTIN, W. J., 14, (17), 580
MASSEY, L. M., (19)
MATHUR, R. S., 14
MCCLELLAN, W. D., (8), 260, 272, 506, 568
MCCLURE, T. T., 876
MCCUBBIN, W. A., 504
MCKEEN, C. D., 15
MCKINNEY, H. H., 806
MCLARTY, H. R., 860
MCNEW, GEORGE L., 721
MCWHORTER, FRANK P., 861
Medicago, 163
arabica, 520
orbicularis, 842
sativa, 2, 452, 670, 842
Sclerotinia on, 12
spp., 520
MEEHAN, FRANCES, 15
Melampsora medusae, resistance to in Populus, 16
Melilotus, 163
alba, 452, 670, 840, 842
indica, 670
officinalis, 842
Sclerotinia on, 12
spp., 520
Mercuric chloride (See Fungicides)
2-methyl-4-amino-1-naphthol hydrochloride (See Vitamin K_5)
Methyl bromoacetate (See Soil Fumigants)
Methyl bromide (See Soil Fumigants)
Methyl salicylate (See Fungicides)
Methyl violet (See Soil Fumigants)
MEULI, LLOYD J., 861
Micrococcus pyogenes, 456
Micromyzus formosanus, 213
MIDDLETON, JOHN T., 813, (1064)
MILBRATH, J. A., 463
MILLER, HAROLD J., 245
MILLER, H. N., 403
MILLER, LAWRENCE I., 15
MILLER, V. L., (8)
Millet, 27
downy mildew, 512
Mimosa, 2
resistant to Fusarium wilt, 63
Minor elements, effect on disease, 4
Mirabilis jalapa, 205
Mite, on citrus, 510
Moisture, effect on downy mildew of crucifers, 545
Momordica, 599
Monilinia, 484
fructicola, overwintering on peach, 503
MOOAR, MARIE, (16)
MOORE, J. DUAIN, (3), 15
MOORE, W. D., 920
MORGAN, OMAR D., 16
Morning glory, 25
MORRIS, H. E., (1001)
Mung bean, (See Bean)
MUNGER, G. D., (9)
MURPHY, DOUGLAS, (20)
MURPHY, H. C., (15)
Muskmelon, 890
virus of, 19
Musk tomato, 352
Mushroom, Verticillium spot and bubble, 22
MUSSER, A. M., (496)
Mustard, 670
powdery mildew, 786
Mutations in tobacco mosaic virus, 10
Mycoban (See Fungicides)
Mycosphaerella, 789
brassicicola, control by fungicides, 869
citrullina, sporulation of, 20
ligulicola sp. nov., on chrysanthemum, 799
pinodes, 948
Myzus circumflexus, 128
persicae, 117, 670, 844, 862
vector for orchid mosaic, 1058
papaya ringspot, 196, 212
pseudosolani, 128

NAGEL, C. M., 16
Napththalene-acetic acid, 489, 504
Narcissus mosaic, 861
rot, control by fungicides, 8
Nasturtium, 1058
Naupaka, ringspot, 206
NEAL, D. C., 498
Near-wilt, of pea, 771
NELSON, K. E., 71, 861
NELSON, RAY, 16
Nematode, 501
causing rice white tip, 5
citrus root, control of, 858
control with soil fumigants, 813
determination in tissue, 24
injury to small grains, 499
meadow, therapy of, 505
on oak, 506
on tobacco, control with fumigants, 11
root knot, 273, 284, 495, 506, 861
control, 498, 583
relation to Fusarial infections, 568
root rot, 8
tobacco rot and root knot, 5
Nephthytis Afzelii, 168
New Improved Ceresan (See Fungicides)

NEWTON, WM., 862
Nicotiana (See also Tobacco), 11
attenuata, blue mold of, 675
clevelandi, 670
debneyi, 284
digluta, 289
glauca, 562, 639
mild dark-green mosaic, 806
glutinosa, 20, 352, 639, 670, 807, 842
langsdorffii, 670
longiflora, 670
palmeri, 670
paniculata, 670
plumbaginifolia, 284
quadrivalvis, 670
repanda, 284
rustica, 12, 22, 639, 670, 842
Cercospora on, 767
spp., 521
sylvestris, 670
tabacum, 12, 205, 284, 289, 349, 562, 670, 764, 807, 842
Nicotine (See Insecticides)
NIEDERHAUSER, JOHN S., 17
Nile blue, 156
Nitrazoles (See Fungicides)
Nitrogen mustard, for inducing variability in fungi, 495
4-nitrosopyrazoles (See Fungicides)
Nothopanax guilfoylei, 215
Nutrition, effect of boron on peach, 860
in relation to, apple bark necrosis, 502
apple yield, 18
bean powdery mildew, 780
cotton fiber formation, 499
pea footrot, 947
Septoria lycopersici on tomato, 4
sugar beet black rot, 1001
tomato bacterial wilt, 7
tomato damping off, 2
tomato verticillium wilt, 7
wheat snow mold, 860
wheat stem rust, 386

Oak, live oak disease, 495, 715
nematodes on, 506
wilt, 425
control, 436
Oats, 23
Helminthosporium on, 1025
victoriae on, 17
leaf spots, 15
nematodes on, 499
resistance to disease, 20, 300
Streptomyces on, 451
O'BRIEN, MURIEL, 506
Odontoglossum grande, 1064
Schlieperianum, 1064
Okra, 2, 27, 591
Olive leaf spot, 403
OLSON, E. O., 17, 548
Onion, 17, 888
aphid, 215
crown gall, 683
smut, control with fungicides, 16
Streptomyces on, 452
Orange, 858, 863
dodder on, 617
hot water treatment for disease, 858
Orchard grass (See Grasses)
Orchid, black rot, 1060
breaking of, 1056
ORTON, C. R., 28
Ostrya virginiana, 475
OSWALD, JOHN W., 359
OWEN, J. H., 17
OWENS, R. G., (590)
Ozone, stimulation of fungus sporulation, 20

PADDOCK, W. C., 17
Pakchoi, 205, 212
PALMITER, D. H., 18
Papaya, viruses, 191
ringspot, vectors of, 212
Para amino phenyl cadmium dilactate (See Fungicides; Puratized 177)
Paraphelenchus, 499
PARKER, K. G., (19)
Parsnip, Streptomyces on, 452
Parzate (See Fungicides)
Passiflora foetida, 205
mosaic, 206
pfordti, 205
mosaic, 206
Passion flower, 205
Pastinaca sativa, 452
PATTERSON, R. E., (25)
Pea, 19, 352, 538, 727
aphid (See Insects; aphids)
enation mosaic, 861
foot rot, 947
powdery mildew, 786
resistance to near-wilt, 771
wilt, 907
seed treatment, 707
streak, 837
virus, 9
Streptomyces on, 443
virus on, 523, 861
Peach, 38, 591
aphid (See Insects; aphids)
asteroid spot, 599
bacterial spot, 5
brown rot control, 16
with fungicides, 9, 18
temperature in relation to, 22
canker, 503
effect of boron on, 860
Exosporina fawcetti on, 344
leaf curl, control with fungicides, 19
root knot, control, 498
rust, 7
viruses of, 19
Peanut, 352
leaf spot, 15
nematode root rot, 8
seed treatment, 500
seed, viability of, 496
Pecan, scab, control with fungicides, 496
Pellicularia filamentose, discharge of basidiospores, 980
Penicillin (See Antibiotics)
Penicillium, digitatum, effect of 2,4-D on, 8
notatum, 1009
oxalicum, 1009

rugulosum, 1009
Pentachlorophenol (See Fungicides)
Pepper, 27, 205, 353, 889, 920
Cercospora blight, control with fungicides, 496
damping-off control with fungicides, 15
mosaic, 206
Periconia, 506
Peronospora, parasitica brassicae, 541
raphani, 541
tabacina, 284, 675
Persea americana, 679
var. drymifolia, 679
Verticillium wilt of, 26
PETERSON, W. H., (47)
Petunia, 11
Cercospora on, 767
hybrida, 352, 521, 670, 764
PETURSON, B., 142
Phacelia campanularia, 670
Phalaris arundinacea, 145
Phaseolus (See also Bean)
angularis, 353
aureus, 352
lunatus, 352, 448, 520
root rot, 813
mungo, 353
virus 2, 221
vulgaris, 27, 289, 350, 520, 538, 656, 670, 765, 807, 842, 861
resistance to mosaic, 1
Phenyl mercury triethanol ammonium lactate (See Fungicides; Puratized agricultural Spray)
Phenyl salicylate (See Fungicides)
Philaenus leucophthalmus, 378
Philodendron cordatum, Pythium on, 168
Phlox paniculata, 765
Phoma, 497
betae, 854
lingam, induced variability in, 495
pycnidial formation, 848
terrestris, 21
Phomopsis citri, effect of 2,4-D on, 8
Phony disease, of apricot and plum, 503
of peach, 661
Phragmidium rubiidaei, control of on raspberry, 863
Phygon (See Fungicides)
Phyllocoptruta oleivora, on citrus, 510
Phymatotrichum omnivorum, 498
Physalis, 11
floridana, potato virus Y on, 20
pubescens, 352
subglabrata, 764
Physalospora obtusa, 2
tucumanensis, on sugarcane, 23
Physiologic specialization in, Cercospora arachidicola, 15
Cercospora personata, 15
Cronartium ribicola, 85
Fusarium oxysporum f. lycopersici, 1
Helminthosporium on corn, 1020
Helminthosporium teres, 18
Phytophthora infestans, 14
Puccinia graminis tritici, 23, 41
Tilletia caries, 992
Physiology of microorganisms, Alcaligenes radiobacter, 182
Alternaria oleracea, 20, 245
solani, 20
Ceratostomella, 548
ulmi, 6
Chalara quercina, 435
Colletotrichum lindemuthianum, 14
Corynebacterium michiganense, 171
Erwinia carnegieana, 1030
Erwinia spp., 22
Fusarium solani f. cucurbitae, 138
eumartii, 24, 572
Helminthosporium spp., 953
victoriae, 300
Mycosphaerella citrullina, 20
phosphorus uptake of Helminthosporium, 6
Phytophthora infestans, 245
Phytomonas tumefaciens, 47, 182
Puccinia coronata, 300
Sclerotinia fructicola, 245, 630
Venturia inaequalis, 245
Phytolacca americana, 670
decandra, 765
Phytomonas ribi, 859
tumefaciens, 182, 859
effect of antibiotics on, 822
toxins of, 47
Phytophthora cinnamomi, 26, 864
on camellia, 498
on pine, 752
citrophthora, 26
control of on orange, 858
erythroseptica, 862
infestans, 10, 745, 862
physiology of, 245
survival at high temperature, 14
inflata sp. nov., 485
parasitica, 284
PICKERING, VIRGINIA L., (859), (862)
Pigeon pea, 2
Pigweed, 670
Pine, littleleaf disease, 752
littleleaf transmission, 497
white, resistant to blister rust, 20
Pinus echinata, littleleaf disease, 497, 752
ponderosa, 950
Pisum (See also Pea)
sativum, 352, 443, 521, 538, 670, 842, 861, 907
virus of, 837
PLAKIDAS, A. G., 498
Plantago, 11
lanceolata, 670, 765
major, virus of, 806
Rugelii, 806
Pleospora, 16
herbarum, 1064
Plum, phony disease, 503, 661
Poa pratensis, 333
Podophyllin, 686
Pokeweed, 637, 670
Polyporus glomeratus, 475
Polysaccharides, Fusarium solani f. eumartii, 572
PON, DICK S., 18
Poplar, winter injury, 12

Populus deltoides, 16
sargentii, 16
tremuloides, 475
Poria obliqua, 475
xantha, growth on copper media, 31
PORTE, W. S., (503)
Portulaca, oleracea, 205, 215
Potato, 14, 17, 20, 25, 27, 205, 637, 727, 862, 920, 936
aphid, 215
bacteria in healthy tissue, 9
blackleg, 22, 887
late blight, 21
control with fungicides, 19
control with sprout inhibitors, 504
late breaking, 463
leafroll, 862
purple-top, 22
ring rot, 507
ring spot virus, 12
in healthy potato, 11
Streptomyces on, 443
vine killing, 862
Potentilla, 765
POULOS, P. L., (9), 18
POUND, GLENN S., 18, 19, (495), (848)
Powdery mildew, 786
apple, 862
barley, 505
resistant to, 6
bean, 780
POWELL, DWIGHT, (16)
PRASAD, N., 133
PRATT, ROBERT M., 19
PRATT, ROBERTSON, (859), 862
Pratylenchus, 5, 8, 24
PRESLEY, JOHN T., 499
PRESTON, D. A., (706)
PRICE, W. C., (288), (517)
Procop (See Fungicides)
Proteus, 456
Prune, 862
Prunus angustifolia, 666
armeniaca, 661
demissa, 19
hortulana, 665
mexicana, 661
mume, 665
phony disease of, 503
virginiana, 19
virus control, 504
Pseudomonas alliicola, 888
citri, control of on citrus, 177
glycinea, population trends in host, 656
ovalis, 456
solanacearum, 936
on tomato, 7
Pseudoperonospora cubensis, 11
Pseudopeziza jonesii, 1064
medicaginis, 1064
PU, MU-HWA, 512, 513
Puccinia, coronata, 91
on Rhamnus, 142
resistance of oats to, 20
toxins of, 300
glumarum, 514
graminis tritici, 23, 41, 386, 514
rubigo-vera tritici, 514
Pumpkin, 27
Puratized compounds (See Fungicides)
Purslane, 205
Pyraustra nubilalis, 21
Pyrenochaeta terrestris, 849
Pythium arrhenomanes, Actinomyces antibiotic to, 5
debaryanum, 21, 103
graminicola, on crested wheatgrass, 103
injury to corn, 77
longevity of in culture, 503
on beet, 12
root rot of aroids and lilies, 167
splendens, 168
spp., 726
ultimum, 15, 859
actinomyces antibiotic to, 5
control with soil fumigants, 813
on orchid, 1060
on tomato, 2

Quercus spp., wilt of, 431
virginiana, live-oak disease, 715
Quick decline of citrus, 863
8-quinolinol sulfate (See Fungicides)

Radish, 27, 541, 889
Fusarium on, 863
Streptomyces on, 443
RAMSEY, G. B., (580)
Ramularia, on Camellia, 498
Rape, 541
Raphanus sativus, 443, 541
Raspberry, control of disease with fungicides, 495
yellow rust control, 863
Ranunculus, 949
RAWLINS, T. E., (672)
Ray blight of chrysanthemum, 789
Red clover (See Clover)
Red copper oxide (See Fungicides)
Red top (See Grasses)
Redbud, canker, 502
REEVES, E. L., (19)
REID, JAMES J., (182)
Resistance, Albizzia to Fusarium wilt, 63
alfalfa to yellow leaf blotch, 1064
apple to scab, 10
barley to loose smut, 959
mildew, 6
charcoal rot and ashy stem blight, 27
chrysanthemum to ray blight, 794
common bean to mosaic, 1
corn to Helminthosporium, 1023
cotton to bacterial blight, 494
crucifers to downy mildew, 541
cucumber to scab, 25
tobacco mosaic virus, 806
oats to disease, 20, 300
pea to footrot, 948
near-wilt, 771
wilt, 907
plants to root knot, 495
Populus to leaf rust, 16
sorghum to anthracnose, 13
spinach to downy mildew, 863
tobacco to disease, 284
tomato to Fusarial wilt, 1

leaf diseases, 829
mosaic, 503
Septoria blight, 647
wheat to dwarf bunt, 996
rust, 513
Selenophoma spot, 23
stem rust, 43
white pine to blister rust, 20
Rhamnus cathartica, 142
frangula, crown rust on, 142
Rhizobium, 506
trifolii, 47
Rhizoctonia, 104, 463, 947
on tobacco, 5
solani, 15, 21, 505, 864
Actinomyces antibiotic to, 5
causing alfalfa damping off, 928
control with soil fumigants, 813
iris bulb and neck rot, 174
on celery, 470
on grasses, 1
on tomato, 2, 950
spp., 726
Rhizopus, 484, 815
on peaches, 9
Rhopalosiphum maidis, 213
pseudobrassicae, 213
rufomaculatum, vector of chrysanthemum stunt, 501
Rhubarb, 889
Rhus copallina, 756
glabra, 3, 756
toxicodendron, 756
typhina, 3, 754
Ribes, 20
petraeum, 85
Rice, seed treatment of, 2
white tip, 5
RICH, AVERY, 862
RICH, SAUL, (10), 19, 221
RICHARDS, B. L., 19
RICHARDS, M. C., 20
Ricinus communis, 764
RIKER, A. J., (12), 20, (47)
ROBERT, ALICE L., 504
ROBLES, LEONEL H., 1020
Root knot (See also Nematodes), 495
Rosa, 765
Rose, powdery mildew, 786
ROSEN, H. R., 20, 499
ROSS, A. FRANK, 20, (25)
Rough bark disease of tung, 718
ROWELL, J. B., 21
Rubber tree, Ceratostomella on, 17
leaf spot, 956
Rubus, allegheniensis, 765
galls of, 859
occidentalis, virus of, 377
RUE, JOHN L., (503), (661)
RUEHLE, GEORGE D., (167)
Rumex acetosa, 13
acetosella, 670
RUNNELS, H. A., (26)
Rust, apple, control with fungicides, 743
bean, 20, 864
blackberry, 860
oats, crown, 142
resistance to, 20
toxin of, 300
peach, 7
populus leaf, resistance to, 16
raspberry, 863
wheat, 3
leaf, 513
stem, 23, 41, 386, 513
stripe, 513
white pine blister, 20
Rust mite, on citrus, 510
Rye, 149
nematode injury, 499

Saintpaulia ionantha, blight, 1054
Salicylic acid (See Fungicides)
Samolus parviflorus, 670
Sarcina subflava, 456
Scaevola frutescens, ringspot, 206
SCHALLER, C. W., 959
SCHMITT, C. G., 21
SCHNEIDER, C. L., 21
SCHULTZ, E. S., 504, (504)
SCHROEDER, W. T., (14), 21
Scindapsus aureus, Pythium on, 168
Sclerotinia americana, 726
fructicola, 607
control on peach, 16
physiology of, 245
variability in, 621
gladioli, 8
sclerotiorum, 920
on bean, 859
trifoliorum, 91
on Ladino clover, 158
on legumes, 11
Sclerotium, bataticola, resistance to, 27
delphinii, 21, 174
rolfsii, 21, 273
on tobacco, 5
Sclerospora graminicola, on millet, 512
Secale cereale, 451
Seed transmission of, cherry yellows virus, 37
Seed treatment, barley, 861
beet, 12
cabbage, 869
corn, 862
cotton, 862
cucumber, 862
flax, 861
mustard, 862
Nitragin, 706
oats, 861
pea, 776, 862
peanut, 496, 500
rice, 2
snap bean, 494
tomato, 859
wheat, 861
SELF, R. L., 22
Selenium, control of boxwood nematodes, 505
Selenophoma donacis var. stomaticola, on wheat, 23
Semesan (See Fungicides)
Septoria, 792
avenae, f. sp. triticea, 15
on oats, 15

lycopersici, causing tomato defoliation, 509
effect of nutrients on infection, 4
resistance of tomato to, 647, 829
on celery, 10
control with fungicides, 19
Serratia marcescens, 456
Sesame, 352
Sesamum orientale, 352
Sesbania, 353
macrocarpa, 27, 353
Shallot, virus diseases, 500
SHARP, D. G., 225
SHARVELLE, ERIC G., 22
SHAW, CHARLES GARDNER, 675, (949)
SHAY, J. R., (10)
SHERBAKOFF, C. D., (495)
SHERF, ARDEN F., 507
SHERWIN, HELEN S., (1), (505), (506)
Silver nitrate (See Fungicides)
SINDEN, J. W., 22
Sinox, control of viruses, 505
Sisymbrium irio, 670
Sitona cylindricollis, biological control of, 501
SMITH, ALBERT L., 499
SMITH, FLOYD F., (501)
SMITH, PAUL G., 598, 863
SMITH, WILSON L., JR., 22, (887)
Smut, barley, 505
covered, 1065
loose, 959, 1065
nigra, 1065
bunt, 986
Johnson grass, 504
onion, control with fungicides, 16
red top, 333
Snapbean (See Bean)
Snapdragon, 2
Snow-mold of wheat, 860
SNYDER, WILLIAM C., 863
Sodium arsenite (See Fungicides)
as herbicide, 862
azide (See Soil Fumigants)
formaldehyde sulfoxylate (See Soil Fumigants)
nitrite, 156
o-phenyl phenate (See Fungicides; Dowicide A)
propionate (See Fungicides; Mycoban)
salicylanilide (See Soil Fumigants)
Soil fumigants, allyl alcohol, 5
allyl bromide, 21
allyl chloride, 21
allyl isothiocyanate, 21
calcium cyanimide, 156
carbon disulfide, 864
Chloramin T, 156
chloropicrin, 21, 26, 274, 583, 594, 864
root knot control, 498
cottonseed meal, 590
cyanamide, 4, 590
D–D, 5, 11, 21, 583, 594
control of Lima bean root rot, 813
cotton disease control, 499
2,4-diaminodiphenylamine, 156
4,4-diaminodiphenylamine, 156
1,2-dichloropropane, 864
1,3-dichloropropene, 864
di-(B-hydroxyethyl) aniline, 156
dicyandiamide, 156
2,4-dinitro-diphenylamine, 156
Dowfume G, 274
Dowfume N, 26, 864
Dowfume W-10, 594
Dowfume W-15, 274
Dowfume W-40, 11
dipicrylamine, 156
s-diphenylthiourea, 156
ethyl isothiocyanate, 21
ethylene chlorobromide, 594
ethylene dibromide, 5, 26, 275, 864
control of Lima bean root rot, 813
control of sweet potato black rot, 861
ethylene dichloride, 274
ethylene oxide, 864
formilin, 21
fungicidal activity of, 21, 864
hydrazine sulfate, 156
hydroxylamine sulfate, 156
Iscobrome 1, 21
Iscobrome D, 594
cotton wilt control, 499
Larvacide, 274
malachite green, 156
manure, 590
methyl bromide, 26, 274
methyl bromoacetate, 21
methyl violet, 156
nile blue, 156
peanut meal, 590
sodium azide, 4
sodium formaldehyde sulfoxylate, 156
sodium salicylanilide, 156
Uramon, 583, 590
thymol, 156
Soil fumigation, control of Phytophthora root rot, 26
control of root knot, 498
cotton disease control, 499
effect of soil condition on, 272
Lima bean root rot, 813
nematode control, 583, 590
sweet potato black rot control, 861
tobacco disease control, 4, 11
Soil moisture, in relation to, bean powdery mildew, 780
control of Sclerotinia sclerotiorum, 920
injury of grape by arsenite, 71
soil fumigation, 272
tomato bacterial wilt, 940
Soil temperature (See Temperature of soil)
Soja max (See also Soybean), 352, 842
Solanum (see also Potato), 11
melongena, 452
tuberosum, 205, 443, 637
Sonchus asper, 670
oleraceus, 216
SONDERMAN, CLARENCE H., 174
Sorghum, 506
anthracnose, resistance to, 13
Colletotrichum on, 497
grass smut in relation to, 504
halepense, 504
vulgare, zonate leaf spot, 760

Sour cherry (See Cherry; sour)
Sour orange, 178
Soybean, 25, 27, 352
  bacterial populations in leaves, 656
  Fusarial wilt, 1
  pea streak virus, 841
  Streptomyces on, 443
Spergon (See Fungicides)
Sphacelotheca cruenta, 504
  holci, 504
Sphaerotheca pannosa on rose, 786
Spinacea oleracea, 520
Spinach, 727, 889
  damping-off control with fungicides, 15
  resistant to downy mildew, 863
SPRAGUE, RODERICK, 23, (860)
Spray adjuvants (See Fungicides; adjuvants)
Spruce, 9
Squash, 133, 562, 890
  Fusarium and nematode infection, 568
  viruses on, 811
Stachytarpheta cayennensis mosaic, 206
STAHMANN, MARK A., (495)
STAKMAN, E. C., 23
STAUFFER, J. F., JR., (495)
STEERE, RUSSELL L., 23, (26)
STEIB, R. J., 23
STEINBERG, ROBERT A., 155
STEINMETZ, F. H., (9)
Stemphylium, causing red leaf spot of gladiolus, 16
  sarcinaeforme, 91
Stock, Fusarium on, 863
STODDARD, E. M., (6), 24
STONE, M. W., (813)
Strawberry, Synchytrium on, 149
  viruses, 863
Streptomyces albus, 457
  antibioticus, 457
  antimycin from, 529
  griseus, 457
  ipomoea, 457
  scabies, pathogenicity of, 442
Sudan grass (See Grasses)
Sugar beet, 562, 637
  black rot, 1001
  mosaic, 669
  transmission of yellow-net virus, 117
Sugar cane, Colletotrichum on, 497
  growth substance and gall formation, 489
  mosaic virus, 668
  Physalospora tucumanensis on, 23
Sulforon (See Fungicides)
Sulfur (See Fungicides)
Sumac, Fusarium wilt, 754
SUNDHOLM, NORMAN K., (721)
Sunflower, 353
  galls caused by lanolin, 600
  powdery mildew, 786
Sweet clover (See Clover)
Sweet orange, 411
Sweet potato, 2, 27
  black rot control, 580, 861
  Ceratostomella on, 17, 548
  Fusarial wilt, 876
SWEZEY, ARTHUR W., (861)
SYLVESTER, EDWARD S., 117, 417
Synchytrium **fragariae** sp. nov., on strawberry, 150
SZU, TZAN-MING, (512)

TAKAHASHI, WILLIAM N., 672
TALL, M. G., 288
TAPKE, V. F., 505, 1066
TARJAN, A. C., 24, 505, (506)
TAYLOR, C. F., 24
Technique, assay of antibiotics, 13, 529
  assay of fungicides, 172, 245
  bacteriophage for identification of bacteria, 152
  Baerman method of nematode determination, 24
  chemical determination of fungicides, 13
  determination of effect of particle size on toxicity of sulfur, 607
  differentiation of viruses, 288
  dilution of virus in plant extracts, 25
  evaluation of pea near-wilt resistance, 771
  inoculation of citrus with quick decline virus, 863
    corn with Pythium, 77
    cotton with Verticillium, 495
    roots with bacteria, 507
    sugar cane with virus, 668
  indexing cherry viruses, 15
  isolation of fungi from seed, 25
  mist blower application of fungicides, 21
  moist chamber for greenhouse inoculation, 90
  nitrogen mustard for inducing variability in fungi, 495
  preservation and mounting of leaves, 414
  producing artificial epidemics of Diplodia ear rot, 93
  qualitative chemical test for virus, 1059
  selective staining of viruses, 395
  spray application, 412
  study of bacterial population in host, 656
  testing for barley resistant to smut, 1065
  vacuum duster for fungicide application, 20
  virus concentration determination, 231
Temperature, in relation to, alfalfa damping off, 930
  avocado Verticillium wilt, 680
  Botrytis on grape, 861
    on gladiolus, 260
  chrysanthemum ray blight, 795
  cucumber scab, 25
  fungus sporulation, 245
  Gazania crown rot, 1053
  gladiolus diseases, 8
  growth of Sclerotinia fructicola, 627
  guar top necrosis, 353
  horseradish mosaic, 18
  millet downy mildew, 513
  near-wilt of pea, 775
  orchid black rot, 1063
  pea streak virus, 841
  peach brown rot, 22
  Pellicularia basidiospore production, 982
  Phytophthora infestans, 14

sporulation of Gibberella zeae, 762
sulfur toxicity, 864
tomato bacterial wilt, 938
walnut branch blight, 343
wheat stem rust, 388
wound tumor virus, 14
Temperature of soil, in relation to, Pythium injury to corn, 77
soil fumigation, 272
survival of Helminthosporium and Fusarium, 1014
tomato bacterial wilt, 937
Tenn. copper (See Fungicides)
Teosinte, Helminthosporium on, 1025
Tersan (See Fungicides)
Tetrachloro parabenzoquinone (See Fungicides; Spergon)
Tetramethyl thiuram disulfide (See Fungicides; Arasan and Tersan)
Tetranychus, 213
Thalictrum spp., infection by Puccinia triticina, 3
Thiamin, for sporulation of Ceratostomella, 549
role in bacterial pigmentation, 171
Thielaviopsis basicola, 864
control with soil fumigants, 813
THIERS, HARRY D., 499
THIND, K. S., 621
THIRUMALACHAR, M. J., 333
THOMAS, C. A., 24, 572
THOMAS, HAROLD E., 863
THOMPSON, W. L., (510)
THORNBERRY, H. H., 152
THURSTON, H. W., JR., (4)
Tilia spp., canker, 502
Tilletia caries, 986
TIMS, E. C., 500
TISDALE, W. B., 167
Tobacco, 2, 19, 26, 205, 349, 352, 395, 562, 670, 672, 936
black root rot, control of, 155
blackshank, 284
blue mold, 284, 675
Cercospora on, 767
disease resistant hybrids, 284
dodder latent virus in, 639
downy mildew, 284
frogeye, 763
infection with Fusarium oxysporum f. batatas, 883
leaf curl, 225
mosaic virus (See Viruses)
nematode root rot, 8
ringspot (See Viruses)
root knot, 284
soil fumigation for control of disease, 11
stem rot, 5
streak (See Viruses)
virus on, 523
TODD, F. A., (4)
Tolguacha, 670
Tomato, 13, 14, 21, 24, 27, 184, 205, 215, 353, 538, 562, 572, 584, 591, 637, 670, 727, 864, 889, 920
anthracnose, 898
control, 26
bacterial wilt, 7, 936
blossom end rot control, 21
bushy stunt (See Viruses)
damping off, 2
control with fungicides, 15
defoliation, 509
early blight, 530, 899
Fusarium and nematode infections, 569
resistance to Fusarial wilt, 1
mosaic, 503
Septoria blight, 647
ringspot (See Viruses)
Rhizoctonia canker, 950
Septoria lycopersici on, 4
Streptomyces on, 452
seed treatment, 859
toxicity of chemicals to, 47
Verticillium wilt, 7
TOOLE, E. RICHARD, 63, 754
Toxins, Ceratostomella ulmi, 6
Chalara quercina, 435
Fusarium solani f. eumartii, 24, 572
Helminthosporium victoriae, 300
Phytomonas tumefaciens, 47
Puccinia coronata, 300
Toxoptera gramineum, vector for wheat mosaic, 2
Trametes, 506
Transmission, beet mosaic virus, 417
black raspberry mild streak, 377
chrysanthemum stunt virus, 501
corn stunt virus, 496
dodder for, 562
guar top necrosis, 353
ladino clover yellow patch virus, 525
lemon tree collapse, 859
orchid mosaic by aphids, 1056
pea streak virus, 837, 843
peach asteroid spot, 599
pine littleleaf, 497
potato blackleg, 887
late breaking virus, 467
purple top, 22
sugar beet yellow-net virus, 117
sugar cane mosaic, 670
tung rough bark disease, 719
virus by Agallia constricta, 14
viruses through seed, 4, 37
wheat mosaic by aphids, 2
Transpiration, of oats, as influenced by toxins, 307
Tranzschelia pruni-spinosae discolor, on peach, 7
Tree decay, 475
Tribasic copper sulfate (See Fungicides)
2,4,5-trichloro phenol (See Fungicides; Dowicide B)
2,4,5-trichlorophenoxyacetic acid, 504
Trichoderma lignorum, 815, 1009
Trifolium (See also Clover)
hybridum, 452, 765, 840, 842
incarnatum, 3, 670, 842
pratense, 91, 452, 670, 840, 842
repens, 670, 765, 840, 842
Sclerotinia on, 158
yellow patch, 517
spp. Sclerotinia on, 11, 165
viruses of, 521
Trigonella foenum graecum, 842

Triticum (See also Wheat)
durum, 451
spp., resistance to rust, 515
timopheevi, 43, 451
vulgare, 443
Tropaeolum majus, 1058
Tubercularia, on Chinese elm, 4
TUCKER, C. M., (481)
Tumor virus, 13
Tung, rough bark disease, 718
Turf grass (See Grasses)
Turnip, 27
Tylenchulus semipenetrans, 858
Typhula idahoensis, on wheat, 860
itoana, on wheat, 860
ULLSTRUP, ARNOLD J., 93
Ulmus americana, 475
canker, 481
fulva, canker, 481
parvifolia, canker, 4
Umbrella disease of Rhus, 3
Uncinula necator on grape, 786
Uramon (See Soil Fumigants)
Urd bean (See Bean)
Urea, 156
Urocystis agropyri, 333
Uromyces, appendiculatus, 607
phaseoli, 864
Ustilago, hordei, 1065
Lorentziana, sex in, 9
nigra, 1065
nuda, 1065
barley resistant to, 959

VALLEAU, W. D., (763)
VAUGHAN, EDWARD K., (859), 863
VAUGHN, J. R., (1056)
Venturia inaequalis, 4, 533, 743
physiology of, 245
Verticillium alboatrum, 21
causing wilt of avocados, 26
distribution in soil, 864
inoculation of cotton with, 495
on avocado, 678
on tomato, 7
spot and bubble of mushroom, 22
wilt of cotton, 499
Vetch, 149
seed treatment, 707
Vicia atropurpurea, 842
faba, 221, 837, 842, 861
galls of, 859
grandiflora, 842
monantha, 842
sativa, 842
villosa, 353, 842
VIGGARS, R. M., 506
Vigna, 27
catjang, 350
sesquipedalis, 350
sinensis, 350, 842
Vinca rosea, 520, 822
Viola, 765
Vitis vinifera, injury by arsenite, 71
Viruses, alfalfa mosaic, 525, 861
alfalfa virus N, 861
ash witch's broom, 498
aster yellows, 22
on shallot, 500
Aucuba yellow mosaic, 806
bean, 523
mosaic, 861
resistance to, 1
virus 1, 1
virus 2, 9
beet mosaic, 417
black raspberry mild streak, 377
chemical test for determination, 1059
cherry, 3, 1059
little cherry, 1059
ring spot, 38, 1059
rusty mottle, 1059
transmission through seed, 4
twisted leaf, 1059
yellows, 4
transmission through seed, 37
chrysanthemum stunt, 501
clover club-leaf, 2
commelina diffusa mosaic, 206
concentration in tolerant leaves, 231
control with herbicides, 504
corn stunt, transmission of, 496
Crotalaria mosaic, 206
cucumber, 3
mosaic, 19
virus 4, 11
curly-top, 860
on dodder, 860
differentiation of, 288
dilution in plant extracts, 25
dodder latent mosaic, 347
guar top necrosis, 637
Hibiscus ringspot, 205
honeysuckle, 502
horseradish mosaic, effect of temperature on, 18
inhibitors of in leaves, 231
in vascular content, 11
Ladino clover, yellow patch, 517
little cherry virus, 19
mild dark-green mosaic, 806
narcissus mosaic, 861
orchid mosaic, 1056
papaya, 191
ringspot, 191
vectors of, 212
Passiflora foetida mosaic, 206
pfordti, mosaic, 206
pea, 861
enation mosaic, 861
mosaic, 11, 844
streak, 9, 837
stunt, 844
peach asteroid spot, 599
phony disease, 661
western X, 1059
Plantago major virus, 806
pepper mosaic, 206
Phaseolus virus 2, 221
potato, 17
late-breaking, 463
leafroll, 862
mottle, 11
purple top, 22
ring spot, 11, 12

in healthy potato, 12
virus X, 25
virus Y, 20
Prunus, control, 504
Scaevola frutescens, ringspot, 206
selective staining of, 395
shallot yellow dwarf, 500
sour cherry, necrotic ringspot, 15
yellows, 15
Stachytarpheta cayennensis mosaic, 206
strawberry, 863
sugar-beet mosaic, hosts, 669
yellow-net, transmission, 117
sugar-cane mosaic, 668
tobacco etch, 641
leaf curl, 225
mosaic, 11, 26, 395, 641
length, 672
mutations in, 10
resistance of cucumber to, 806
resistance of tomato to, 503
strains of, 11, 806
suppression by malachite green, 24
ringspot, 11, 232, 288, 354
streak, 11, 231
virus 1, 19
tomato bushy stunt, 23
ringspot, 288
transmission by dodder, 562
through seed, 4
tung rough bark disease, 718
turnip virus 1, 18
watermelon mosaic, 19
western X, on cherry, 19
wheat mosaic, transmission, 2
white clover mosaic, 519
wound-tumor virus, 13
effect of temperature on incubation, 14
Vitamin K_5 as fungicide, 862
VOLK, GAYLORD M., (11)
Volucella, 1038
VLITOS, A. J., 706

WAGNER, ROBERT E., (1), (505)
WAHL, I., 24
WALKER, J. C., (9), 25, (495), (771), (837), (907), (936)
WALLACE, J. M., 863
Walnut, blight control by sprays, 858
branch wilt, 340
WANG, T. M., 541
WEBER, GEORGE F., 500
Watermelon, 27
mosaic, 19
viruses on, 811
WEEKS, T. E., (1060)
Weevil, sweet clover, biological control, 501
WELLS, D. G., 771, 907
WERNHAM, C. C., 25
WERTMAN, KENNETH, (288)
WESTER, HORACE V., (502)
Wheat, 15, 761
bunt, 986
dry-land foot rot, 2
Helminthosporium on, 1024
leaf rust, 3
mosaic (See Viruses)
nematode injury, 499
resistance to rust, 513
root rot, 371
Selenophoma spot of, 23
snow-mold, 860
stem rust, 23, 386
resistance to, 41
Streptomyces on, 443
WHEELER, H. E., 25
WHEELER, W. H., 25, 506
White clover (See Clover)
WILHELM, STEPHEN, 864
WILKINSON, R. E., 25
WILLIAMS, ROBLEY C., (23), 26
WILLISON, R. S., 414
WILSON, A. R., 412
WILSON, COYT, 500
WILSON, E. E., 340
WILSON, J. D., 26
Wireworm, 861
control by soil fumigation, 813
WOLF, F. A., (225)
WOODBRIDGE, C. G., (860)
Wood decay by Poria xantha, 31
WOODS, M. W., (377)
WOODWARD, R. W., (986)

Xanthomonas, malvacearum, dissemination by irrigation water, 88
resistance to in cotton, 494
phaseoli, control by chemotherapy, 6
population trends in host, 656
var. sojensis, 456
pruni, 5
spp., identification by bacteriophage, 153
Xanthosis, 863

YAO, OU-YANG, (513)
YARWOOD, C. E., 780, 864
Yellow clover (See Clover)
Yellow cuprocide (See Fungicides)
Yellow patch of Ladino clover, 517
YODER, JOHN B., (22)
YOUNG, P. A., 27
YOUNG, ROY A., 425

ZAK, BRATISLAV, (497)
Zea mays (See also Corn), 443
ZELLER, S. M., 149
ZENTMYER, GEORGE A., 26, 677, 864
Zerlate (See Fungicides)
Zinc dimethyl dithiocarbamate (See Fungicides; Karbam white and Zerlate)
Zinc ethylene dithiocarbamate (See Fungicides; Parzate)
Zinc oxide (See Fungicides)
Zinc trichlorophenate (See Fungicides; Dow 9B)
Zinc sulfate (See Fungicides)
Zinnia, 27
elegans, 353, 520, 670

ERRATA, VOLUME 38

Page 874, text line 12, *read* 1½ pints oil *for* 1½ pints fish oil
Page 925, line 19, *delete* and a part of a third
Page 1021, table 2, test 4, *read:*

Untreated	60	73
Wrapped, untreated paper	60	87

for:

Untreated		
Wrapped, untreated paper	60	73
Wraps, containing 1.5 per cent (etc.)	60	87

Page 1034, line 30, *read* (× *Fragaria ananassa* Duch.) *for* (of × *Fragaria ananassa* Duch.)

ERRATA, VOLUME 39

Pages 43 and 45, runninghead: *read* virulence *for* virulance
Page 79, line 14, *read* two dent corn hybrids *for* two, dent corn hybrids
Page 271, line 5, *read* 1948 *for* 1946
Page 392, line 12, *read* protoplasmic *for* photoplasmic
Page 415, line 12, *read* Box 87 *for* Box 28
Page 529, footnote 2, line 2, *read* M. J. Johnson *for* M. S. Johnson
Page 535, table 5, column 1, *read* 0.125 *for* 1.125
Page 652, figure 2 replaced by:

Page 825, line 10, *read* ml. *for* liter
Page 840, lines 37 and 38, *read* (*Melilotus alba* Desr.) *for* (*Melilotus officinalis* (L.) Lam.)
Page 840, line 40, *read* (*M. officinalis* (L.) Lam.) *for* (*M. alba* Desr.)
Page 841, line 22, and page 842, line 1, *read* When the virus was recovered, although no symptoms were observed, the degree of susceptibility was designated as "latent."